

PFEIFER



PFEIFER makes the difference.

Price List 03/2018

**PFEIFER
SEIL- UND HEBETECHNIK
GMBH**

DR.-KARL-LENZ-STRASSE 66
DE-87700 MEMMINGEN

PHONE Support +49 (0) 83 31-937-345

Sales +49 (0) 83 31-937-231

FAX +49 (0) 83 31-937-342

E-MAIL export-bt@pfeifer.de

INTERNET www.pfeifer.info



General Information	4
---------------------------	---



Lifting Anchor Systems 2

PFEIFER Waved Anchor – long – socket zinc-plated	6
PFEIFER Waved Anchor – long – socket stainless steel	6
PFEIFER Waved Anchor – short – socket zinc-plated	6
PFEIFER Waved Anchor – short – socket stainless steel	6
PFEIFER Waved Anchor – special length – socket zinc-plated – for special Lifting Loop	7
PFEIFER Waved Anchor – Socket zinc flake coated	7
PFEIFER Socket – zinc-plated	7
PFEIFER Socket – Stainless steel	7
PFEIFER Flat Steel Anchor – Plain	7
PFEIFER Flat Steel Anchor – zinc-plated	8
PFEIFER Flat Steel Anchor – socket stainless steel	8
PFEIFER Flat Steel Anchor – Stainless steel	8
PFEIFER Bolt Anchor – socket zinc-plated	8
PFEIFER Bolt Anchor – socket stainless steel	8
PFEIFER Bar Anchor – socket zinc-plated	9
PFEIFER Bar Anchor – socket stainless steel	9
PFEIFER Bar Anchor – special length – socket zinc-plated – for special Lifting Loop	9
PFEIFER Bar Anchor – Sandwich Lifting Anchors – socket zinc-plated – for sandwichelements	9
PFEIFER Bar Anchor – Sandwich Lifting Anchors – socket stainless steel – for sandwichelements	9
PFEIFER Repair Kit – socket zinc-plated – For slabs	10
PFEIFER Repair Kit – socket stainless steel – For slabs	10
PFEIFER Repair Kit – socket zinc-plated – For walls	10
PFEIFER Repair Kit – socket stainless steel – For walls	10
PFEIFER Repair Kit – accessories	10
PFEIFER Lifting Loop	11
PFEIFER Lifting Loop – (Lifting Loop Rd) waisted – for special Lifting Loop ..	11
PFEIFER Flared Lifting Loop	11
PFEIFER Swivel Eye – painted	11
PFEIFER Special Lifting Loop – with pressure plate	11
PFEIFER Button Head Fixing Bolt – socket zinc-plated – without head – for Lifting Anchors	12
PFEIFER Button Head Fixing Bolt – zinc-plated – shallow – for Lifting Anchors ..	12
PFEIFER Button Head Fixing Bolt – zinc-plated – middle – for Lifting Anchors ..	12
PFEIFER Button Head Fixing Bolt – zinc-plated – deep – for Lifting Anchors ..	12
PFEIFER Recess Disc – polyethylene – for Lifting Anchors	13
PFEIFER Recess Disc – Steel – zinc-plated – for Lifting Anchors	13
PFEIFER Magnetic Fixing – zinc-plated – for Lifting Anchors	13
PFEIFER Fixing Screw – for Fixing Bolts	13
PFEIFER Data Clip – for Lifting Anchors	14
PFEIFER External Cap – Small – Recesses with Button Head Fixing Bolt	14
PFEIFER External Cap – Large – Recesses with recess disc/magnetic disc	14
PFEIFER Cover Cap – Stainless steel – Recesses with recess disc/magnetic disc	15
PFEIFER Cover Cap – Concrete – Recesses with recess disc/magnetic disc ..	15
PFEIFER Cover Cap – shallow – Stainless steel – for Button Head Fixing Bolt ..	15
PFEIFER Cover Cap – middle – Stainless steel – for Button Head Fixing Bolt – shallow	15
PFEIFER Cover Cap – Concrete – for Button Head Fixing Bolt – shallow	16
PFEIFER Cover Cap – deep – Stainless steel – for Button Head Fixing Bolt – deep	16
PFEIFER Adapter – for Thread System	16
PFEIFER Thread Cleaner – for Lifting Anchors	16

PFEIFER Super Anchor – socket zinc-plated	17
PFEIFER Super Lifter – painted	17
PFEIFER Button Head Fixing Bolt – for Super Anchor System	17
PFEIFER Recess Disc – Steel – for Super Anchor System	17
PFEIFER Fixing Screw – for Super Anchors System	17
PFEIFER Cover Cap – steel zinc-plated – for Super Anchor System	17
PFEIFER Lifting Loop – for SAS Manhole Lifting System	18
PFEIFER Bolt Anchor – zinc-plated – for SAS Manhole Lifting System	18
PFEIFER Flat Steel Anchor – zinc-plated – for SAS Manhole Lifting System	18
PFEIFER Data Clip SAS – for SAS Manhole Lifting System	18



Lifting Anchor Systems 3

PFEIFER BS Anchor – zinc-plated	19
PFEIFER BS Anchor – Heavy-duty – zinc-plated	19
PFEIFER BS Hook – painted	19
PFEIFER BS Moulding Insert – for BS Anchors	19
PFEIFER Lifting Box	19



Lifting Anchor Systems 4

PFEIFER Bent Loop – Galvanized	20
PFEIFER Bent Loop – zinc-plated	20
PFEIFER LB Anchor – with loop	20
PFEIFER LB Anchor – with socket	20
PFEIFER Brickwork Anchor	20
PFEIFER WK Anchor – black – Installation in heavily reinforced structural column elements	21
PFEIFER WK Anchor – long – black – Installation in wall panels	21
PFEIFER WK Anchor – black – for Beams	21
PFEIFER WK Bar Anchor – black – Installation in wall panels	21
PFEIFER WK Bar Anchor – Sandwich Lifting Anchors – black	21
PFEIFER DR Anchor – black	22
PFEIFER WK Moulding Insert – with threaded plate	23
PFEIFER WK Moulding Insert – with threaded stud	23
PFEIFER Quicklift – painted	23



Fixing Systems 5

PFEIFER Waved Anchor DB for permanent fixing – short – socket zinc-plated	26
PFEIFER Waved Anchor DB for permanent fixing – short – socket stainless steel	26
PFEIFER Foot-Mounted Anchor DB for permanent fixing – socket zinc-plated	26
PFEIFER Foot-Mounted Anchor DB for permanent fixing – socket stainless steel	26
PFEIFER Lifting Loop LSF	27
PFEIFER Lifting Loop LSV	27
PFEIFER Lifting Loop LSP	27
PFEIFER Lifting Loop LSG	27
PFEIFER Load Eye	27
PFEIFER Socket Dowel – with cross hole – zinc-plated	28
PFEIFER Socket Dowel – with cross hole – Stainless steel	28
PFEIFER Socket Dowel – with cross hole and nail plate – zinc-plated	28
PFEIFER Socket Dowel – with crimped end – zinc-plated	28
PFEIFER Socket Dowel – with crimped end – Stainless steel	28
PFEIFER Socket Dowel – with crimped end and nail plate – zinc-plated	29
PFEIFER Socket Dowel – with cross end – zinc-plated	29
PFEIFER Polyamide Socket	29

PFEIFER Nail Disc	29
PFEIFER External Cap – Stainless steel – for Nail Discs	30
PFEIFER External Cap – Concrete – for Nail Discs	30
PFEIFER Nail Cap – for Polyamide Sockets	30
PFEIFER Fixing Screw – for Polyamide Sockets	30
PFEIFER Mounting Bushing – with Dywidag thread	30



Fixing Systems 6

PFEIFER Mounting Bar – with Dywidag thread	31
PFEIFER Mounting Wing Nut – with Dywidag thread	31
PFEIFER Push-Pull-Props – Fixing for MoFi	31
PFEIFER Recess Disc – for MoFi	31
PFEIFER Magnet Disc – Galvanized – for MoFi	31
PFEIFER Cover Cap – for MoFi	32
PFEIFER Cover Cap – for MoFi	32
PFEIFER Button Head Fixing Bolt – for MoFi	32
PFEIFER Push-Pull-Props – Concrete Screw ConFi	32



Connection Systems 7

PFEIFER Foundation Anchor – PGS/H2	34
PFEIFER Foundation Anchor – PGS/H4	34
PFEIFER Foundation Anchor – PGS/G3	34
PFEIFER Foundation Anchor – PGS/G2	34
PFEIFER Foundation Anchor – PGS/G1-K	34
PFEIFER Foundation Anchor – PGS/G1	34
PFEIFER Foundation Anchor – PGS/G1-DK	35
PFEIFER Column Shoe – PSF	35
PFEIFER Column Shoe – PGM – for concrete grade C30/37 and good bonding conditions	35
PFEIFER Column Shoe – PCC	35
PFEIFER Fixing Socket – PCC – zinc-plated – for PCC Column Shoes	36
PFEIFER Positioning Sockets – Galvanized – for PCC Column Shoes	36
PFEIFER Moulding Bloc – Metal – corner – for PCC Column Shoes	36
PFEIFER Moulding Bloc – PFEIFER Polystyrene Moulding Bloc – corner – for PCC Column Shoes	36
PFEIFER Moulding Bloc – PFEIFER Polystyrene Moulding Bloc – side – for PCC Column Shoes	36
PFEIFER Fixing Screw – for PCC/PSF Fixing Sockets	37
PFEIFER Connecting Bolt – PVB, PGV	37
PFEIFER Wall Shoe – PWS	37
PFEIFER Cover Plate – for Wall Shoes	37
PFEIFER Connecting Bolt – PAP	37



Connection Systems 8

PFEIFER Intermediate Staircase Bearing VarioSonic SL	38
PFEIFER Staircase End Bearing VarioSonic SLE	38
PFEIFER Steel Bearing	39
PFEIFER-fixing bracket LCON	39



Connection Systems 9

PFEIFER Cylinder Anchor	40
PFEIFER Flat Anchor – Plate thickness 1,5 mm	41
PFEIFER Flat Anchor – plate thickness 2,0 mm	42
PFEIFER Flat Anchor – plate thickness 2,0 mm	43
PFEIFER Delta-Anchor	43
PFEIFER Connector Pin	44
PFEIFER Clip-on-Stirrup	45

PFEIFER Clip-on-Stirrup	45
-------------------------------	----



Connection Systems 10

PFEIFER BEB 1	46
PFEIFER BEB 2	46
PFEIFER BEB 3	46
PFEIFER BEB 4 and BEB 5	46
PFEIFER BEB 6 and BEB 7	46
PFEIFER BEB 8	46
PFEIFER BEB 9 and BEB 10	47
PFEIFER BEB 11	47
PFEIFER BEB 15 and BEB 16	47
PFEIFER BEB 19 and BEB 20	47
PFEIFER BEB 25 and BEB 26	47
Surcharge for additional length – PFEIFER BEB 2 – BEB 26	47



Reinforcement Systems 11

PFEIFER Female Bar – with nail plate	49
PFEIFER Male Bar	49
PFEIFER Threaded Connecting Bolt	50
PFEIFER Right-Left-Thread Connecting Bolt	50
PFEIFER Threaded Reduction Bolt	50
PFEIFER Reduction Socket	50
PFEIFER Positioning Socket	50
PFEIFER Welding Socket	51
PFEIFER Reduction Female Bar	51
PFEIFER End Anchor	51
PFEIFER Torque Wrenche – for bar couplers	51
PFEIFER Nailing Plate	52
Surcharge – Bending of standard lengths	52
Surcharge – Cutting of standard lengths	52
PFEIFER VS® Slim Box	53
PFEIFER VS® Plus Box	53
PFEIFER VS® Box	53
PFEIFER Magnetic Fixing – for VS® Box	53
PFEIFER LB Box	53
PFEIFER VS® Rail BZ50	54
PFEIFER VS® ISI System ^{3D}	54
PFEIFER VS® Rail W50	55
PFEIFER VS® Rail T50	55
PFEIFER VS® Long Box T20	55
PFEIFER VS® Long Box/Rail – empty profile	55
PFEIFER VS® FDS Air Tube Formwork	56
PFEIFER FS Box	56
PFEIFER MV Loop – zinc-plated – for connection of brickwork panels	56

General Terms and Conditions	58
Index A–Z	60

Minimum order value

The minimum order value is
€ 100,00 net.

Order quantities

All prices in this list always have to be considered in combination with the specified packaging unit as a minimum order quantity. A 10% surcharge will be applied when the order quantities are different from the packing units mentioned in our price list.

Weights

All figures are approximate values and may differ.

Packing

Packing costs will be charged in a lump sum.
Euro-Paletts and Metal-Boxes will be invoiced if not returned.
Exchange costs for reusable packaging are included in the lump sum.
All further packing costs will be invoiced at our own cost-price.

Order Information

Our order processing and invoicing is geared to EDP. In order to guarantee smooth and troublefree order processing, we kindly ask you to always indicate our full Product Reference No. on your orders.

Prices for steel and stainless steel products

For products made wholly or partly from stainless steel, we reserve the right to vary the prices at short notice, due to fluctuations on the raw material market and charging alloy surcharges.

All prices indicated in this price list are exclusive of value added tax.

All previous price lists are no longer valid.

For products or reference numbers not included in this price list, we will be pleased to respond to your special inquiry.



For further information, please contact our head office at Memmingen:

Export-Sales-Department: +49(0)83 31-93 72 31
+49(0)83 31-93 72 11

Technical-Department: +49(0)83 31-93 73 45

E-mail: export-bt@pfeifer.de



PFEIFER Rd 35 CE
Made in Germany

Lifting Anchor Systems

319

Stahl

Thread System
Super Anchor System
SAS Manhole Lifting System
BS Anchor System
WK Anchor System
Special Lifting Anchors



*Applied more than
50 Millionen times*

PFEIFER Waved Anchor – long – socket zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	137	7,50	200	1000	05.017.123	117432	1,59
Rd 14	170	14,00	100	800	05.017.143	117440	1,85
Rd 16	216	24,80	50	1600	05.017.163	117445	2,42
Rd 18	235	39,00	50	500	05.017.183	117460	3,30
Rd 20	257	53,00	25	1200	05.017.203	117464	4,20
Rd 24	360	73,20	25	600	05.017.243	117474	4,90
Rd 30	450	145,00	1	350	05.017.303	117483	8,25
Rd 36	570	268,00	1	350	05.017.363	117492	14,40
Rd 42	620	374,00	1	250	05.017.423	117498	22,35
Rd 52	880	750,00	1	100	05.017.523	117505	56,60
Rd 56	1200	1100,00	1	50	05.017.563	135375	62,10
Rd 60	1410	1500,00	1	50	05.017.603	135376	71,20



PFEIFER Waved Anchor – long – socket stainless steel

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	137	7,50	100	–	05.017.124	117439	5,35
Rd 14	170	14,00	100	–	05.017.144	117442	6,55
Rd 16	216	24,80	50	300	05.017.164	117453	8,90
Rd 18	235	39,00	50	–	05.017.184	117463	13,90
Rd 20	257	53,00	25	100	05.017.204	117472	16,60
Rd 24	360	73,20	25	200	05.017.244	117481	19,50
Rd 30	450	145,00	1	200	05.017.304	117491	45,80
Rd 36	570	270,00	1	100	05.017.364	117497	65,80
Rd 42	620	390,00	1	50	05.017.424	117502	99,60
Rd 52	880	757,00	1	50	05.017.524	117510	127,50



PFEIFER Waved Anchor – short – socket zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	108	6,50	200	1000	05.018.123	117511	1,56
Rd 14	130	12,00	100	600	05.018.143	117513	1,84
Rd 16	172	20,50	50	1600	05.018.163	117515	2,18
Rd 18	175	29,00	50	500	05.018.183	117519	3,25
Rd 20	192	44,00	25	1000	05.018.203	117521	3,85
Rd 24	250	60,00	25	500	05.018.243	117523	4,70
Rd 30	300	110,00	1	500	05.018.303	117525	7,95
Rd 36	380	204,00	1	200	05.018.363	117528	13,70
Rd 42	450	300,00	1	200	05.018.423	117531	21,35



PFEIFER Waved Anchor – short – socket stainless steel

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	108	6,50	100	05.018.124	117512	5,35
Rd 14	130	12,00	100	05.018.144	117514	6,50
Rd 16	172	20,50	50	05.018.164	117517	8,60
Rd 18	175	29,00	50	05.018.184	117520	13,85
Rd 20	192	40,00	25	05.018.204	117522	16,50
Rd 24	250	60,00	25	05.018.244	117524	19,00
Rd 30	300	111,00	1	05.018.304	117527	44,70
Rd 36	380	204,00	1	05.018.364	117530	63,70
Rd 42	450	300,00	1	05.018.424	117532	97,40



PFEIFER Waved Anchor – special length – socket zinc-plated – for special Lifting Loop

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 30	900	255,00	1	200	05.017.303.900	117490	11,45
Rd 36	900	396,00	1	100	05.017.363.900	117496	18,00
Rd 42	1000	575,00	1	100	05.017.423.100	117499	28,50
Rd 52	1200	921,00	1	50	05.017.523.120	117506	62,50



PFEIFER Waved Anchor – Socket zinc flake coated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 24	360	73,20	25	–	05.017.245.000	279710	6,90
Rd 30	450	145,00	1	700	05.017.305.000	278582	9,95
Rd 36	570	268,00	1	350	05.017.365.000	282408	19,75
Rd 42	620	374,00	1	250	05.017.425.000	282409	27,90
Rd 52	880	765,00	1	100	05.017.525.000	282410	62,50



PFEIFER Socket – zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	40	2,00	100	700	05.000.123	116863	1,44
Rd 14	47	4,00	100	–	05.000.143	116871	1,71
Rd 16	54	6,70	100	2000	05.000.163	116883	2,06
Rd 18	65	11,00	100	–	05.000.183	116893	2,66
Rd 20	69	15,00	100	2000	05.000.203	116901	2,88
Rd 24	78	19,00	100	1500	05.000.243	116908	3,70
Rd 30	103	43,00	30	1500	05.000.303	116916	6,60
Rd 36	125	71,00	25	300	05.000.363	116924	12,10
Rd 42	145	104,00	20	160	05.000.423	116931	19,80
Rd 52	195	235,00	8	150	05.000.523	116939	47,50



PFEIFER Socket – Stainless steel

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	40	2,00	100	05.000.124	116865	5,50
Rd 14	47	4,00	100	05.000.144	116875	7,75
Rd 16	54	7,80	100	05.000.164	116889	9,90
Rd 18	65	10,50	100	05.000.184	116894	14,90
Rd 20	69	14,50	100	05.000.204	116902	16,20
Rd 24	78	19,00	100	05.000.244	116909	21,50
Rd 30	103	42,00	30	05.000.304	116917	32,70
Rd 36	125	71,00	25	05.000.364	116925	73,60
Rd 42	145	104,00	20	05.000.424	116933	110,00
Rd 52	195	235,00	8	05.000.524	116940	140,00



PFEIFER Flat Steel Anchor – Plain

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	30	4,30	200	05.002.122	116985	2,96
Rd 14	33	6,60	100	05.002.142	116996	3,05
Rd 16	35	9,00	100	05.002.162	117004	3,90
Rd 18	44	18,50	50	05.002.182	117017	4,30
Rd 20	47	25,50	50	05.002.202	117037	4,85
Rd 24	54	33,70	25	05.002.242	117050	5,55
Rd 30	72	68,80	20	05.002.302	117071	8,55
Rd 36	84	112,90	1	05.002.362	117093	13,40
Rd 42	98	176,00	1	05.002.422	117101	20,75
Rd 52	117	266,00	1	05.002.522	117108	42,40





PFEIFER Flat Steel Anchor – zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	30	5,00	200	05.002.123	116990	4,15
Rd 14	33	7,00	100	05.002.143	116999	4,20
Rd 16	35	10,00	100	05.002.163	117011	4,65
Rd 18	44	19,00	50	05.002.183	117028	5,40
Rd 20	47	26,00	50	05.002.203	117045	6,55
Rd 24	54	33,00	25	05.002.243	117057	7,00
Rd 30	72	70,00	20	05.002.303	117080	11,05
Rd 36	84	113,00	1	05.002.363	117096	17,40
Rd 42	98	176,00	1	05.002.423	117104	26,70
Rd 52	117	261,00	1	05.002.523	117111	49,10



PFEIFER Flat Steel Anchor – socket stainless steel

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	30	4,30	200	05.002.125	278180	6,95
Rd 14	33	6,60	100	05.002.145	278181	8,15
Rd 16	35	9,00	100	05.002.165	278182	9,60
Rd 18	44	18,50	50	05.002.185	278183	17,95
Rd 20	47	25,50	50	05.002.205	278184	18,95
Rd 24	54	33,70	25	05.002.245	278185	21,50
Rd 30	72	68,80	20	05.002.305	278186	34,00
Rd 36	84	112,90	1	05.002.365	278187	47,75
Rd 42	98	176,00	1	05.002.425	278188	65,90
Rd 52	117	266,00	1	05.002.525	278189	119,50



PFEIFER Flat Steel Anchor – Stainless steel

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	30	4,30	200	05.002.124	116993	7,75
Rd 14	33	6,60	100	05.002.144	117001	9,05
Rd 16	35	9,00	100	05.002.164	117013	10,65
Rd 18	44	18,50	50	05.002.184	117032	20,30
Rd 20	47	25,50	50	05.002.204	117047	21,75
Rd 24	54	33,70	25	05.002.244	117061	23,95
Rd 30	72	68,80	20	05.002.304	117085	38,20
Rd 36	84	112,90	1	05.002.364	117099	53,10
Rd 42	98	176,00	1	05.002.424	117107	73,50
Rd 52	117	266,00	1	05.002.524	117113	135,00



PFEIFER Bolt Anchor – socket zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	70	4,00	200	1000	05.016.123	117406	2,01
Rd 14	70	6,00	100	–	05.016.143	117409	2,13
Rd 16	80	12,00	100	1000	05.016.163	117412	2,32
Rd 18	100	17,00	50	–	05.016.183	117418	3,30
Rd 20	127	30,00	50	500	05.016.203	117423	4,20
Rd 24	140	44,00	25	1000	05.016.243	117427	5,25
Rd 30	170	72,00	20	400	05.016.303	140689	9,10



PFEIFER Bolt Anchor – socket stainless steel

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	70	6,00	200	05.016.124	117408	6,55
Rd 14	70	6,00	100	05.016.144	117411	7,70
Rd 16	80	13,00	100	05.016.164	117417	9,90
Rd 18	100	17,00	50	05.016.184	117422	16,05
Rd 20	127	30,00	50	05.016.204	117426	19,05
Rd 24	140	42,00	25	05.016.244	117430	22,05
Rd 30	170	73,00	20	05.016.304	142511	33,40



PFEIFER Bar Anchor – socket zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	195	10,00	100	–	05.019.123.195	117539	1,69
Rd 14	235	18,00	50	–	05.019.143.235	117569	1,99
Rd 16	280	30,00	50	500	05.019.163.280	117579	2,42
Rd 18	305	43,00	25	–	05.019.183.305	117594	3,35
Rd 20	350	66,00	20	300	05.019.203.350	117604	4,50
Rd 24	400	78,00	20	300	05.019.243.400	117614	5,50
Rd 30	510	159,00	1	300	05.019.303.510	117630	8,20
Rd 36	690	319,00	1	200	05.019.363.690	117650	15,85
Rd 42	840	487,00	1	100	05.019.423.840	117658	25,25
Rd 52	915	766,00	1	100	05.019.523.915	117662	55,30



PFEIFER Bar Anchor – socket stainless steel

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	195	10,00	100	–	05.019.124.195	117564	5,45
Rd 14	235	18,00	50	–	05.019.144.235	117570	6,75
Rd 16	280	30,00	50	–	05.019.164.280	117592	9,00
Rd 18	305	45,00	25	–	05.019.184.305	117598	13,95
Rd 20	350	66,00	20	300	05.019.204.350	117607	16,70
Rd 24	400	78,00	20	400	05.019.244.400	117620	20,15
Rd 30	510	159,00	1	200	05.019.304.510	117638	46,50
Rd 36	690	319,00	1	100	05.019.364.690	117656	66,70
Rd 42	840	487,00	1	100	05.019.424.840	117661	101,50
Rd 52	915	766,00	1	100	05.019.524.915	117663	130,00



PFEIFER Bar Anchor – special length – socket zinc-plated – for special Lifting Loop

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 30	900	258,00	1	200	05.019.303.900	117636	11,30
Rd 36	1100	463,00	1	200	05.019.363.110	117643	18,95
Rd 42	1100	605,00	1	100	05.019.423.110	146075	28,45
Rd 52	1500	1105,00	1	100	05.019.523.150	146076	62,90



PFEIFER Bar Anchor – Sandwich Lifting Anchors – socket zinc-plated – for sandwichelements

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 20	650	115,00	1	50	05.009.203.065	261980	7,65
Rd 24	700	126,00	1	50	05.009.243.070	261981	8,65
Rd 30	870	247,00	1	50	05.009.303.087	261982	14,20
Rd 36	1100	474,00	1	50	05.009.363.110	258575	23,40
Rd 42	1200	662,00	1	50	05.009.423.120	258576	35,00
Rd 52	1400	1065,00	1	50	05.009.523.140	258577	64,70



PFEIFER Bar Anchor – Sandwich Lifting Anchors – socket stainless steel – for sandwichelements

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 20	650	115,00	1	50	05.009.204.065	263924	20,30
Rd 24	700	126,00	1	50	05.009.244.070	263925	23,55
Rd 30	870	247,00	1	50	05.009.304.087	263926	52,90
Rd 36	1100	474,00	1	50	05.009.364.110	263927	73,90
Rd 42	1200	662,00	1	50	05.009.424.120	263928	110,50
Rd 52	1400	1065,00	1	50	05.009.524.140	263929	141,00



PFEIFER Repair Kit – socket zinc-plated – For slabs

Type/Size	Height h mm	Packing content	Weight kg/Pk	Ref.- No.	Item No.	Price EUR/Set
Rd 16	80	2 bold anchors/2 screws with washer, bonding mortar, 2 extra mixing nozzles	0,40	05.011.163.016	142496	40,70
Rd 20	127	2 bold anchors/2 screws with washer, bonding mortar, 2 extra mixing nozzles	0,70	05.011.203.016	142497	47,50
Rd 30	170	1 bold anchor/1 screw with washer, bonding mortar, 2 extra mixing nozzles	1,90	05.011.303.016	142498	55,80



PFEIFER Repair Kit – socket stainless steel – For slabs

Type/Size	Height h mm	Packing content	Weight kg/Pk	Ref.- No.	Item No.	Price EUR/Set
Rd 16	80	2 bold anchors/2 screws with washer, bonding mortar, 2 extra mixing nozzles	0,40	05.011.164.016	142501	57,00
Rd 20	127	2 bold anchors/2 screws with washer, bonding mortar, 2 extra mixing nozzles	0,70	05.011.204.016	142500	77,00
Rd 30	170	1 bold anchor/1 screw with washer, bonding mortar, 2 extra mixing nozzles	1,90	05.011.304.016	142499	81,60



PFEIFER Repair Kit – socket zinc-plated – For walls

Type/Size	Height h mm	Packing content	Weight kg/Pk	Ref.- No.	Item No.	Price EUR/Set
Rd 16	120	2 Bar anchors/2 screws with washer, bonding mortar, 2 extra mixing nozzles	0,90	05.011.163.019	227271	38,70
Rd 20	180	2 Bar anchors/2 screws with washer, bonding mortar, 2 extra mixing nozzles	1,25	05.011.203.019	227270	45,20
Rd 30	250	1 Bar anchor/1 screw with washer, bonding mortar, 2 extra mixing nozzles	2,45	05.011.303.019	227272	53,10



PFEIFER Repair Kit – socket stainless steel – For walls

Type/Size	Height h mm	Packing content	Weight kg/Pk	Ref.- No.	Item No.	Price EUR/Set
Rd 16	120	2 Bar anchors/2 screws with washer, bonding mortar, 2 extra mixing nozzles	0,90	05.011.164.019	227275	54,10
Rd 20	180	2 Bar anchors/2 screws with washer, bonding mortar, 2 extra mixing nozzles	1,25	05.011.204.019	227274	73,00
Rd 30	250	1 Bar anchor/1 screw with washer, bonding mortar, 2 extra mixing nozzles	2,45	05.011.304.019	227273	77,50

PFEIFER Repair Kit – accessories

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
KM5, 150 ml cartridge, 2 mixing nozzles	34,00	1	05.600.000	164395	24,80
Skeleton gun (for 150 ml cartridge) craftman's quality	77,00	1	05.601.001	203848	54,30
mixing nozzle, only	0,90	1	05.602.001	142505	1,47
Skeleton gun (for 150 ml cartridge) Standard design	46,00	1	05.601.002	165363	9,95
Cleaning brush diameter 17 mm	6,00	1	05.604.017	227852	11,60
Cleaning brush diameter 21 mm	8,00	1	05.604.021	227854	14,50
Cleaning brush diameter 26 mm	8,00	1	05.604.026	227855	15,65
Cleaning brush diameter 31 mm	9,00	1	05.604.031	227856	16,25
Cleaning brush diameter 46 mm	10,00	1	05.604.046	227857	17,40
Brush holder L = 185 mm	0,30	1	05.605.001	227858	17,40



PFEIFER Lifting Loop

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	155	5,50	50	05.050.123	117917	9,90
Rd 14	155	8,00	50	05.050.143	117918	10,15
Rd 16	155	11,50	50	05.050.163	117919	13,80
Rd 18	190	16,60	25	05.050.183	117922	16,35
Rd 20	215	24,00	25	05.050.203	117924	19,20
Rd 24	255	39,00	25	05.050.243	117927	22,30
Rd 30	300	73,00	10	05.050.303	117933	34,70
Rd 36	340	128,00	10	05.050.363	117937	66,90
Rd 42	425	214,00	10	05.050.423	117939	84,60
Rd 52	480	362,00	10	05.050.523	259235	139,00



PFEIFER Lifting Loop – (Lifting Loop Rd) waisted

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 24	450	59,80	1	05.050.243.450	117930	49,95
Rd 30	500	102,00	1	05.050.303.500	214112	64,00
Rd 36	500	152,00	10	05.050.363.500	214113	78,65
Rd 42	550	250,00	10	05.050.423.550	214117	134,50
Rd 52	650	430,00	10	05.050.523.650	214121	169,00



PFEIFER Flared Lifting Loop

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	155	7,90	50	05.070.123	263582	15,25
Rd 16	158	12,00	50	05.070.163	257284	20,80
Rd 20	219	24,00	25	05.070.203	257285	28,90
Rd 24	255	45,00	10	05.070.243	258914	40,30
Rd 30	305	73,00	10	05.070.303	257286	51,60
Rd 36	340	142,00	10	05.070.363	262008	98,30



PFEIFER Swivel Eye – painted

Type/Size	Height h mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	125	0,45	1	05.051.121	117948	97,70
Rd 14	125	0,50	1	05.051.141	117958	101,50
Rd 16	150	0,85	1	05.051.161	117967	112,00
Rd 18	150	0,90	1	05.051.181	117975	132,50
Rd 20	160	1,55	1	05.051.201	117982	153,50
Rd 24	185	2,00	1	05.051.241	117991	169,00
Rd 30	220	3,60	1	05.051.301	118000	234,50
Rd 36	255	5,50	1	05.051.361	118009	286,50
Rd 42	255	6,20	1	05.051.421	118016	317,00
Rd 52	345	13,00	1	05.051.521	118022	480,00
Rd 56	366	22,00	1	05.052.561	135526	587,00
Rd 60	466	39,00	1	05.052.601	135527	880,00



PFEIFER Special Lifting Loop – with pressure plate

Type/Size	Height h mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	310	0,26	1	05.053.123	118046	51,40
Rd 14	340	0,34	1	05.053.143	118059	60,50
Rd 16	345	0,48	1	05.053.163	118067	71,40
Rd 18	385	0,66	1	05.053.183	118072	75,90
Rd 20	410	0,95	1	05.053.203	118082	85,70
Rd 24	435	1,55	1	05.053.243	118090	101,00
Rd 30	490	2,54	1	05.053.303	118104	121,00
Rd 36	570	3,94	1	05.053.363	118119	174,00
Rd 42	650	6,56	1	05.053.423	118127	235,00
Rd 52	760	9,00	1	05.053.523	118134	378,00
Rd 56	1150	20,00	1	05.053.563	149264	454,00
Rd 60	1250	27,00	1	05.053.603	149269	506,00



PFEIFER Button Head Fixing Bolt – socket zinc-plated – without head – for Lifting Anchors

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	0,80	1	05.211.123	118593	6,50
Rd 14	1,00	1	05.211.143	118594	7,65
Rd 16	2,00	1	05.211.163	118595	8,85
Rd 18	3,00	1	05.211.183	118596	9,10
Rd 20	4,00	1	05.211.203	118597	9,60
Rd 24	7,00	1	05.211.243	118598	10,40
Rd 30	15,00	1	05.211.303	118599	15,65
Rd 36	32,00	1	05.211.363	118600	20,75
Rd 42	47,00	1	05.211.423	118601	33,30
Rd 52	106,00	1	05.211.523	118602	45,80
Rd 56	105,00	1	05.211.563	138084	58,70
Rd 60	125,00	1	05.211.603	138085	60,50



PFEIFER Button Head Fixing Bolt – zinc-plated – shallow – for Lifting Anchors

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	3,0	23,0	2,00	1	05.224.123	227962	6,15
Rd 14	3,0	26,0	3,00	1	05.224.143	227964	7,65
Rd 16	3,5	30,0	4,00	1	05.224.163	227965	8,65
Rd 18	3,5	33,0	6,00	1	05.224.183	227966	9,45
Rd 20	4,0	37,0	9,00	1	05.224.203	227967	10,40
Rd 24	4,0	40,0	13,00	1	05.224.243	227968	11,65
Rd 30	4,5	48,5	27,00	1	05.224.303	227969	18,85
Rd 36	4,5	58,0	48,00	1	05.224.363	227970	24,15
Rd 42	5,0	66,5	74,00	1	05.224.423	227971	39,00
Rd 52	5,0	79,5	141,00	1	05.224.523	227972	51,90



PFEIFER Button Head Fixing Bolt – zinc-plated – middle – for Lifting Anchors

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	8,5	23,5	3,00	1	05.209.123	118583	7,25
Rd 14	8,5	26,5	5,00	1	05.209.143	118584	8,40
Rd 16	8,5	30,5	6,00	1	05.209.163	118585	9,50
Rd 18	8,5	42,0	9,00	1	05.209.183	118586	10,40
Rd 20	8,5	37,0	11,00	1	05.209.203	118587	12,30
Rd 24	10,0	40,5	17,00	1	05.209.243	118588	14,95
Rd 30	10,0	49,0	31,00	1	05.209.303	118589	23,30
Rd 36	10,0	59,0	55,00	1	05.209.363	118590	29,00
Rd 42	13,0	67,5	84,00	1	05.209.423	118591	52,60
Rd 52	13,0	80,0	161,00	1	05.209.523	118592	67,50



PFEIFER Button Head Fixing Bolt – zinc-plated – deep – for Lifting Anchors

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	30	23,5	10,00	1	05.225.123	227977	7,70
Rd 14	30	26,5	13,00	1	05.225.143	227978	9,00
Rd 16	30	30,5	18,00	1	05.225.163	227979	9,80
Rd 18	30	33,5	23,00	1	05.225.183	227980	10,70
Rd 20	30	37,5	29,00	1	05.225.203	227981	12,95
Rd 24	30	41,0	38,00	1	05.225.243	227982	16,85
Rd 30	30	49,5	62,00	1	05.225.303	227983	24,70
Rd 36	30	59,0	99,00	1	05.225.363	227984	32,50
Rd 42	30	67,5	140,00	1	05.225.423	227985	53,80
Rd 52	30	80,5	233,00	1	05.225.523	227986	71,60



PFEIFER Recess Disc – polyethylene – for Lifting Anchors

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	10	50,5	0,93	1	05.201.120	118442	1,32
Rd 14	10	55,5	1,15	1	05.201.140	118445	1,55
Rd 16	10	59,5	1,25	1	05.201.160	118448	1,76
Rd 18	10	62,5	1,36	1	05.201.180	118451	2,01
Rd 20	10	73,5	1,70	1	05.201.200	118453	2,19
Rd 24	12	78,5	2,50	1	05.201.240	118455	3,10
Rd 30	12	94,5	3,20	1	05.201.300	118457	4,05
Rd 36	12	105,5	4,10	1	05.201.360	118459	5,50
Rd 42	15	115,5	6,20	1	05.201.420	118461	7,85
Rd 52	15	135,5	6,70	1	05.201.520	118463	13,35

Only suitable for use with Button Head Fixing Bolt – middle



PFEIFER Recess Disc – Steel – zinc-plated – for Lifting Anchors

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	10	50,5	11,50	1	05.201.123	118443	24,55
Rd 14	10	55,5	13,50	1	05.201.143	118446	25,00
Rd 16	10	59,5	16,00	1	05.201.163	118449	25,05
Rd 18	10	62,5	16,50	1	05.201.183	118452	35,60
Rd 20	10	73,5	25,00	1	05.201.203	118454	36,20
Rd 24	12	78,5	32,00	1	05.201.243	118456	39,70
Rd 30	12	94,5	47,00	1	05.201.303	118458	44,90
Rd 36	12	105,5	56,00	1	05.201.363	118460	55,60
Rd 42	15	115,5	80,00	1	05.201.423	118462	64,80
Rd 52	15	135,5	110,00	1	05.201.523	118464	71,80

Only suitable for use with Button Head Fixing Bolt – middle



PFEIFER Magnetic Fixing – zinc-plated – for Lifting Anchors

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	10,5	50,5	14,00	2	05.208.123	118564	94,40
Rd 14	10,5	55,5	15,00	2	05.208.143	118567	96,10
Rd 16	10,5	59,2	19,00	2	05.208.163	118570	96,50
Rd 18	10,5	62,5	21,00	2	05.208.183	118572	103,00
Rd 20	10,5	73,5	32,00	1	05.208.203	118574	104,00
Rd 24	12,5	78,2	46,00	1	05.208.243	118576	107,00
Rd 30	12,5	94,2	61,00	1	05.208.303	118579	150,50
Rd 36	12,5	105,2	80,00	1	05.208.363	118581	160,50
Rd 42	15,5	115,5	170,00	1	05.208.423	311306	240,00
Rd 52	15,5	135,5	260,00	1	05.208.523	311307	260,00



PFEIFER Fixing Screw – for Fixing Bolts

Type/Size	Designed for	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
M 6	M 12	6,00	1	05.206.063	118542	3,70
M 8	M 14/16/18/20	11,00	1	05.206.083	118543	4,10
M 10	M 24/30/36	12,62	1	05.206.103	118544	5,80
M 16	M 42/52/56/60	46,00	1	05.206.163	118547	11,60



PFEIFER Data Clip – for Lifting Anchors

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
Rd 12	0,12	100	05.220.120	118673	15,55
Rd 14	0,15	100	05.220.140	118674	15,75
Rd 16	0,18	100	05.220.160	118675	16,65
Rd 18	0,31	100	05.220.180	118676	17,90
Rd 20	0,33	100	05.220.200	118677	18,70
Rd 24	0,36	100	05.220.240	118678	30,10
Rd 30	0,87	100	05.220.300	118679	34,80
Rd 36	1,20	100	05.220.360	118680	46,00
Rd 42	1,35	100	05.220.420	118681	66,90
Rd 52	2,25	100	05.220.520	118683	120,00
Rd 56	1,60	100	05.220.560	258175	130,50
Rd 60	1,70	100	05.220.600	258176	140,50



PFEIFER External Cap – Small – Recesses with Button Head Fixing Bolt

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
Rd 12	2,0	18,5	0,07	200	05.216.120	118632	10,05
Rd 14	2,0	21,5	0,13	200	05.216.140	118634	10,40
Rd 16	2,5	25,5	0,18	200	05.216.160	118636	10,85
Rd 18	2,5	28,5	0,20	200	05.216.180	118639	11,75
Rd 20	3,0	31,5	0,29	200	05.216.200	118642	12,85
Rd 24	3,0	35,0	0,38	200	05.216.240	118644	14,45
Rd 30	3,5	44,0	0,59	200	05.216.300	118647	20,95
Rd 36	3,5	52,5	0,67	100	05.216.360	118649	22,20
Rd 42	4,0	59,5	0,99	100	05.216.420	135313	44,30
Rd 52	4,0	73,0	1,40	100	05.216.520	118653	52,00
Rd 56	4,0	75,0	2,20	100	05.216.560	137582	237,50
Rd 60	4,0	80,0	2,30	100	05.216.600	137583	242,00



PFEIFER External Cap – Large – Recesses with recess disc/magnetic disc

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
Rd 12	10	50	0,43	100	05.218.120	118665	48,60
Rd 14	10	55	0,56	100	05.218.140	118666	51,80
Rd 16	10	59	0,75	100	05.218.160	118667	55,60
Rd 18	10	62	0,88	100	05.218.180	118668	58,10
Rd 20	10	73	1,08	100	05.218.200	118669	59,30
Rd 24	12	78	1,40	100	05.218.240	118670	68,30
Rd 30	12	94	2,36	100	05.218.300	118671	77,20
Rd 36	12	105	2,88	100	05.218.360	118672	90,30



PFEIFER Cover Cap – Stainless steel – Recesses with recess disc/magnetic disc

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	10	50,0	16,58	1	05.219.124	135388	21,90
Rd 14	10	55,0	20,41	1	05.219.144	135392	27,10
Rd 16	10	59,0	23,89	1	05.219.164	135390	29,55
Rd 18	10	62,0	26,89	1	05.219.184	135393	33,60
Rd 20	10	73,0	36,91	1	05.219.204	135385	39,30
Rd 24	12	77,5	44,00	1	05.219.244	135395	49,90
Rd 30	12	93,5	66,00	1	05.219.304	135394	60,50
Rd 36	12	104,5	99,40	1	05.219.364	135379	75,90
Rd 42	15	114,5	156,34	1	05.219.424	135396	91,10
Rd 52	15	134,5	222,63	1	05.219.524	135377	118,00



PFEIFER Cover Cap – Concrete – Recesses with recess disc/magnetic disc

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	9	49,5	3,40	50	05.230.047.12	278339	2,10
Rd 14	9	54,5	4,20	50	05.230.052.14	278340	2,15
Rd 16	9	58,5	5,00	50	05.230.056.16	278341	2,20
Rd 18	9	61,5	6,10	35	05.230.059.18	278342	2,30
Rd 20	9	72,5	8,00	35	05.230.070.20	278343	2,75
Rd 24	11	77,2	11,60	30	05.230.074.24	278344	2,80
Rd 30	11	93,2	17,80	30	05.230.090.30	278345	3,20
Rd 36	11	104,2	24,00	15	05.230.100.36	278346	4,40
Rd 42	14	114,3	39,00	15	05.230.110.42	278347	4,75
Rd 52	14	134,3	57,20	10	05.230.130.52	278348	5,50



PFEIFER Cover Cap – shallow – Stainless steel – for Button Head Fixing Bolt

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	3,0	22,5	2,00	1	05.226.124	227921	11,25
Rd 14	3,0	25,5	2,40	1	05.226.144	227922	12,95
Rd 16	3,5	29,5	4,00	1	05.226.164	227923	15,05
Rd 18	3,5	32,5	5,00	1	05.226.184	227924	16,70
Rd 20	4,0	36,5	8,00	1	05.226.204	227925	18,85
Rd 24	4,0	39,5	10,00	1	05.226.244	227926	22,65
Rd 30	4,5	48,0	18,00	1	05.226.304	227927	27,10
Rd 36	4,5	57,5	30,00	1	05.226.364	227928	34,30
Rd 42	5,0	66,0	43,00	1	05.226.424	227929	46,90
Rd 52	5,0	79,0	73,00	1	05.226.524	227930	59,80



PFEIFER Cover Cap – middle – Stainless steel – for Button Head Fixing Bolt – shallow

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	8,5	23,0	4,00	1	05.227.124	227905	12,80
Rd 14	8,5	26,0	5,00	1	05.227.144	227906	14,45
Rd 16	8,5	30,0	7,00	1	05.227.164	227907	16,70
Rd 18	8,5	33,0	9,00	1	05.227.184	227908	18,60
Rd 20	8,0	36,5	11,00	1	05.227.204	227909	21,15
Rd 24	10,0	40,0	16,00	1	05.227.244	227910	27,25
Rd 30	10,0	48,0	25,00	1	05.227.304	227911	31,90
Rd 36	10,0	58,0	40,00	1	05.227.364	227912	40,50
Rd 42	13,0	66,5	63,00	1	05.227.424	227913	52,50
Rd 52	13,0	79,0	101,00	1	05.227.524	227914	65,90



PFEIFER Cover Cap – Concrete – for Button Head Fixing Bolt – shallow

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	7,5	22,5	0,70	50	05.230.021.12	278350	1,35
Rd 14	7,5	25,5	1,00	50	05.230.024.14	278351	1,40
Rd 16	7,5	29,0	1,40	50	05.230.028.16	278352	1,45
Rd 18	7,5	32,4	1,80	50	05.230.031.18	278353	1,50
Rd 20	7,5	35,5	2,00	50	05.230.034.20	278354	1,55
Rd 24	9,0	39,0	3,70	50	05.230.038.24	278355	1,65
Rd 30	9,0	47,6	6,80	50	05.230.046.30	278356	2,10
Rd 36	9,0	57,7	17,80	50	05.230.056.36	278357	2,15
Rd 42	12,0	66,2	18,00	30	05.230.064.42	278358	2,30
Rd 52	12,0	79,2	30,60	30	05.230.077.52	278359	2,40



PFEIFER Cover Cap – deep – Stainless steel – for Button Head Fixing Bolt – deep

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	30	23,0	10,00	1	05.228.124	227883	16,20
Rd 14	30	26,0	13,00	1	05.228.144	227894	18,15
Rd 16	30	30,0	18,00	1	05.228.164	227895	20,55
Rd 18	30	33,0	22,00	1	05.228.184	227896	24,10
Rd 20	30	37,0	28,00	1	05.228.204	227897	26,50
Rd 24	30	40,5	35,00	1	05.228.244	227898	31,50
Rd 30	30	49,0	53,00	1	05.228.304	227899	38,00
Rd 36	30	58,5	81,00	1	05.228.364	227900	48,60
Rd 42	30	67,0	109,00	1	05.228.424	227901	66,70
Rd 52	30	80,0	165,00	1	05.228.524	227902	82,90



PFEIFER Adapter – for Thread System

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	279	0,21	1	05.046.123.272	251476	39,10
Rd 14	283	0,29	1	05.046.143.275	251478	41,20
Rd 16	285	0,41	1	05.046.163.277	251479	45,30
Rd 18	374	0,66	1	05.046.183.364	251480	51,60
Rd 20	375	0,85	1	05.046.203.365	251481	54,10
Rd 24	385	1,21	1	05.046.243.373	251482	56,90
Rd 30	400	2,10	1	05.046.303.386	251483	62,10
Rd 36	583	4,22	1	05.046.363.567	251484	68,70
Rd 42	598	5,72	1	05.046.423.580	251485	78,20
Rd 52	617	9,89	1	05.046.523.597	251486	135,50
Rd 56	602	10,56	1	05.046.563.580	251487	145,50
Rd 60	costum-made	—	1	05.046.603.000	251488	on request



PFEIFER Thread Cleaner – for Lifting Anchors

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
Rd 12	4,00	1	05.212.120	118604	32,90
Rd 14	5,00	1	05.212.140	118605	34,70
Rd 16	5,00	1	05.212.160	118606	36,20
Rd 18	5,00	1	05.212.180	151691	36,60
Rd 20	8,00	1	05.212.200	151690	37,10
Rd 24	13,00	1	05.212.240	151682	39,80
Rd 30	25,00	1	05.212.300	151681	45,00
Rd 36	43,00	1	05.212.360	151680	52,60
Rd 42	66,00	1	05.212.420	151679	79,80
Rd 52	148,00	1	05.212.520	151678	128,50
Rd 56	122,00	1	05.212.560	202582	184,00
Rd 60	136,00	1	05.212.600	202583	199,50



PFEIFER Super Anchor – socket zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
Z 55	680	2,10	1	100	05.090.055.3	186896	14,85
Z 110	890	5,20	1	150	05.090.110.3	186897	32,60
Z 220	1300	14,50	1	50	05.090.220.3	186898	62,20



PFEIFER Super Lifter – painted

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Z 55	300	3,60	2	05.092.055.1	187758	252,00
Z 110	440	10,10	2	05.092.110.1	187760	420,00
Z 220	545	19,90	2	05.092.220.1	187761	655,00



PFEIFER Button Head Fixing Bolt – for Super Anchor System

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Z 55	6,00	1	05.094.055.3	186752	16,75
Z 110	18,00	1	05.094.110.3	186753	25,15
Z 220	60,00	1	05.094.220.3	186754	49,70




PFEIFER Recess Disc – Steel – for Super Anchor System

Type/Size	Size plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Z 55	20	89,0	70,00	1	05.096.055.3	188766	33,60
Z 110	20	118,0	160,00	1	05.096.110.3	188767	42,10
Z 220	20	128,9	190,00	1	05.096.220.3	188768	49,70



PFEIFER Fixing Screw – for Super Anchors System

Type/Size	Designed for	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
M 8	Z 55	11,00	1	05.206.083	118543	4,10
M 10	Z 110/220	12,62	1	05.206.103	118544	5,80



PFEIFER Cover Cap – steel zinc-plated – for Super Anchor System

Type/Size	Size plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Z 55	20	89,0	70,00	1	05.098.055.3	188771	33,60
Z 110	20	118,0	160,00	1	05.098.110.3	188770	42,10
Z 220	20	128,9	170,00	1	05.098.220.3	188769	49,70



PFEIFER Lifting Loop – for SAS Manhole Lifting System

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
SAS V	180	15,00	1	05.059.122	250234	5,95
SAS A	210	18,50	1	05.059.142	243751	6,05
SAS B	280	50,00	1	05.059.162	243752	8,65
SAS C	330	133,00	1	05.059.242	243753	12,30
SAS D	390	235,00	1	05.059.302	243754	21,85

Incl. hexagonal bolt 8.8



PFEIFER Bolt Anchor – zinc-plated – for SAS Manhole Lifting System

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
SAS V	75	4,73	100	05.060.123.075	250232	1,89
SAS A	75	7,90	100	05.060.143.075	241979	2,19
SAS B	95	12,00	100	05.060.163.095	241980	2,98
SAS C	110	44,00	50	05.060.243.110	241981	4,85



PFEIFER Flat Steel Anchor – zinc-plated – for SAS Manhole Lifting System

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
SAS A	60	10,10	1	05.061.143.060	245879	4,35
SAS B	70	24,00	1	05.061.163.070	245880	4,85
SAS C	70	126,00	1	05.061.243.070	245881	7,75
SAS D	120	92,00	1	05.061.303.120	243437	11,15



PFEIFER Data Clip SAS – for SAS Manhole Lifting System

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
SAS V	0,12	100	05.220.012.005	250108	15,55
SAS A	0,15	100	05.220.014.010	243690	15,75
SAS B	0,18	100	05.220.016.020	243691	16,65
SAS C	0,36	100	05.220.024.040	243665	30,10
SAS D	0,87	100	05.220.030.052	243657	34,80



PFEIFER BS Anchor – zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
BS 0,8	205	8,00	50	3000	05.020.008.3	117669	1,91
BS 1,2	230	12,00	50	2500	05.020.012.3	117675	2,33
BS 1,6	250	17,00	25	2000	05.020.016.3	117685	2,37
BS 2,0	300	27,00	20	1500	05.020.020.3	117693	3,20
BS 2,5	325	30,00	20	1200	05.020.025.3	117702	3,25
BS 4,0	370	50,00	10	700	05.020.040.3	117715	4,70
BS 5,2	380	73,00	10	500	05.020.052.3	117731	6,65
BS 6,3	425	110,00	1	300	05.020.063.3	117740	9,25
BS 8,0	480	160,00	1	200	05.020.080.3	117751	12,80
BS 10,0	535	210,00	1	150	05.020.100.3	117759	19,05
BS 12,5	590	272,00	1	130	05.020.125.3	117767	23,55
BS 16,0	670	450,00	1	80	05.020.160.3	117778	35,60
BS 20,0	750	590,00	1	50	05.020.200.3	117786	52,40
BS 25,0	850	840,00	1	40	05.020.250.3	117793	65,40



PFEIFER BS Anchor – Heavy-duty – zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Load carrier pcs.	Ref.- No.	Item No.	Price EUR/pc.
BS 28	680	8,03	1	50	05.020.280.3	117798	101,00
BS 32	770	10,04	1	40	05.020.320.3	117805	102,50
BS 37	950	12,70	1	30	05.020.370.3	117811	135,00
BS 42	1000	14,00	1	25	05.020.420.3	117816	221,50
BS 47	1100	21,20	1	20	05.020.470.3	117822	240,00
BS 52	1200	23,00	1	10	05.020.520.3	117827	285,00
BS 57	1350	30,75	1	10	05.020.570.3	117833	302,00
BS 65	1430	36,01	1	10	05.020.650.3	135160	359,00
BS 75	1530	46,02	1	10	05.020.750.3	135161	441,00
BS 85	1680	55,06	1	10	05.020.850.3	135162	473,00



PFEIFER BS Hook – painted

Type/Size	Height h mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BS 2,0	155	0,90	1	05.055.020	118149	133,00
BS 4,0	200	1,80	1	05.055.040	118155	149,00
BS 6,3	260	3,20	1	05.055.063	118160	185,00
BS 10,0	320	6,40	1	05.055.100	118166	271,00
BS 16,0	370	11,00	1	05.055.160	118171	503,00
BS 25,0	470	23,00	1	05.055.250	118176	794,00



PFEIFER BS Moulding Insert – for BS Anchors

Type/Size	Thread	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BS 2,0	M 10	20,00	1	05.207.020	118548	17,40
BS 4,0	M 10	30,00	1	05.207.040	118550	22,20
BS 6,3	M 10	50,00	1	05.207.063	118553	40,50
BS 10,0	M 10	99,00	1	05.207.100	118556	53,30
BS 16,0	M 10	120,00	1	05.207.160	118559	54,40
BS 25,0	M 10	250,00	1	05.207.250	118561	96,10



PFEIFER Lifting Box

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Lifting Box I	23,00	1000	05.022.010.300	191532	5,45
Lifting Box II	54,00	400	05.022.020.300	197516	10,15



PFEIFER Bent Loop – Galvanized

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WS 0,8	205	20,00	500	05.023.083	280531	2,59
WS 1,6	205	33,00	350	05.023.163	280532	3,05
WS 2,4	285	45,00	250	05.023.243	280533	3,80



PFEIFER Bent Loop – zinc-plated

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WS 4,0	290	72,40	1	05.023.403	313883	5,50
WS 5,2	320	115,30	1	05.023.523	313884	6,95



PFEIFER LB Anchor – with loop

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
LB 1,6	1000	210,00	100	05.013.016.2.100	117281	11,70
LB 2,0	1000	250,00	100	05.013.020.2.100	117285	12,95
LB 4,0	1000	630,00	100	05.013.040.2.100	117289	26,70
LB 1,6	2280	320,00	100	05.013.016.2.228	117284	13,80
LB 2,0	2280	370,00	100	05.013.020.2.228	117288	15,30
LB 4,0	2280	950,00	100	05.013.040.2.228	117292	31,30



PFEIFER LB Anchor – with socket

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 18	1000	190,00	100	05.013.183.100	117293	8,90
Rd 20	1000	240,00	100	05.013.203.100	117296	10,45
Rd 30	1000	600,00	100	05.013.303.100	117301	20,65
Rd 18	2280	310,00	100	05.013.183.228	117294	11,15
Rd 20	2280	360,00	100	05.013.203.228	117297	12,85
Rd 30	2280	920,00	100	05.013.303.228	117302	25,35



PFEIFER Brickwork Anchor

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
MW 0,94	1500	69,00	100	05.015.094.150	117345	4,55
MW 0,94	2500	132,00	100	05.015.094.250	117347	4,95
MW 1,45	2500	170,00	100	05.015.145.250	117368	7,00
MW 1,45	2750	187,00	100	05.015.145.275	117376	7,35
MW 1,45	3000	204,00	100	05.015.145.300	117379	7,60
MW 2,10	2500	240,00	100	05.015.210.250	117389	8,85
MW 2,10	2750	262,00	100	05.015.210.275	117394	9,10
MW 2,10	3000	284,00	100	05.015.210.300	117397	9,80



PFEIFER WK Anchor – black – Installation in heavily reinforced structural column elements

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WK 2,0	145	22,00	50	05.185.020.145.2	118348	1,90
WK 2,5	190	27,00	50	05.185.025.190.2	118350	2,33
WK 4,0	230	66,00	25	05.185.040.230.2	118354	3,90
WK 6,3	270	128,00	1	05.185.063.270.2	118361	6,25
WK 8,0	300	159,00	1	05.185.080.300.2	118366	9,80
WK 10,0	325	174,00	1	05.185.100.325.2	118370	11,70
WK 15,0	400	380,00	1	05.185.150.400.2	118377	24,75
WK 20,0	500	540,00	1	05.185.200.500.2	118380	39,20



PFEIFER WK Anchor – long – black – Installation in wall panels

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WK 2,0	350	47,00	50	05.185.020.270.2	276038	3,65
WK 2,5	400	52,00	25	05.185.025.380.2	276039	3,75
WK 4,0	450	124,00	1	05.185.040.450.2	276040	7,85
WK 5,0	520	141,00	1	05.185.050.490.2	276041	8,25
WK 6,3	570	244,00	1	05.185.063.570.2	276043	14,40
WK 8,0	620	323,00	1	05.185.080.620.2	276044	16,95
WK 10,0	900	459,00	1	05.185.100.880.2	276045	20,95
WK 15,0	1200	1026,00	1	05.185.150.120.02	277957	43,50
WK 20,0	1400	1469,00	1	05.185.200.130.02	277958	58,00



PFEIFER WK Anchor – black – for Beams

Type/Size	Height h mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WK 10,0	550	2,90	1	05.185.100.550.20	288803	14,95
WK 15,0	650	5,87	1	05.185.150.650.20	288804	28,95
WK 20,0	800	8,78	1	05.185.200.800.20	288805	44,95



PFEIFER WK Bar Anchor – black – Installation in wall panels

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WK 2,0	380	49,00	50	05.182.020.380.2	276024	3,80
WK 2,5	470	60,00	25	05.182.025.470.2	276028	3,90
WK 4,0	510	135,00	1	05.182.040.520.2	276029	8,55
WK 5,0	650	167,00	1	05.182.050.650.2	276030	9,00
WK 6,3	690	281,00	1	05.182.063.690.2	276031	16,50
WK 8,0	840	420,00	1	05.182.080.840.2	276032	17,20
WK 10,0	920	459,00	1	05.182.100.920.2	276033	21,00
WK 15,0	1200	1007,00	1	05.182.150.120.02	278567	42,50
WK 20,0	1400	1430,00	1	05.182.200.140.02	278568	59,50



PFEIFER WK Bar Anchor – Sandwich Lifting Anchors – black

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WK 2,0	690	89,40	1	05.182.020.690.20	284582	9,95
WK 4,0	855	225,64	1	05.182.040.855.20	284583	17,95
WK 6,3	1085	445,02	1	05.182.063.108.52	284584	22,00
WK 8,0	1185	599,42	1	05.182.080.118.52	284585	24,95
WK 15,0	1380	1178,50	1	05.182.150.138.02	284586	57,95



PFEIFER DR Anchor – black

Type/Size	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
DR 1,3	55	6,00	200	05.180.013.055.2	118237	1,28
DR 1,3	65	7,00	200	05.180.013.065.2	118239	1,52
DR 1,3	85	8,00	200	05.180.013.085.2	118241	1,54
DR 1,3	120	10,00	200	05.180.013.120.2	118243	1,68
DR 1,3	240	17,00	100	05.180.013.240.2	118244	1,85
DR 2,5	45	12,00	100	05.180.025.045.2	118245	1,78
DR 2,5	70	16,00	100	05.180.025.070.2	147320	1,95
DR 2,5	85	17,00	100	05.180.025.085.2	118247	1,97
DR 2,5	120	21,00	75	05.180.025.120.2	118248	2,01
DR 2,5	140	23,00	75	05.180.025.140.2	118250	2,39
DR 2,5	170	27,00	50	05.180.025.170.2	118251	2,46
DR 2,5	210	30,00	50	05.180.025.210.2	161082	2,71
DR 2,5	280	40,00	50	05.180.025.280.2	118253	3,20
DR 5,0	75	34,00	50	05.180.050.075.2	118254	3,45
DR 5,0	95	41,00	30	05.180.050.095.2	118255	4,15
DR 5,0	120	48,00	30	05.180.050.120.2	118256	4,45
DR 5,0	160	56,00	30	05.180.050.160.2	147323	4,75
DR 5,0	180	58,00	30	05.180.050.180.2	118257	4,85
DR 5,0	210	69,00	25	05.180.050.210.2	161754	5,20
DR 5,0	240	76,00	25	05.180.050.240.2	118259	5,55
DR 5,0	340	101,00	15	05.180.050.340.2	118260	8,40
DR 5,0	480	136,00	10	05.180.050.480.2	138048	10,55
DR 7,5	85	58,00	30	05.180.075.085.2	118261	5,95
DR 7,5	95	64,00	30	05.180.075.095.2	138049	5,95
DR 7,5	120	73,00	25	05.180.075.120.2	118262	6,00
DR 7,5	140	81,00	20	05.180.075.140.2	138050	6,60
DR 7,5	165	89,00	20	05.180.075.165.2	118263	7,15
DR 7,5	200	101,00	15	05.180.075.200.2	138051	8,25
DR 7,5	300	136,00	10	05.180.075.300.2	118265	10,50
DR 7,5	540	224,00	1	05.180.075.540.2	138052	16,10
DR 7,5	680	282,00	5	05.180.075.680.2	138053	17,15
DR 10,0	120	93,00	20	05.180.100.120.2	118266	11,10
DR 10,0	135	103,00	15	05.180.100.135.2	118267	11,20
DR 10,0	150	109,00	15	05.180.100.150.2	138054	11,35
DR 10,0	170	118,00	15	05.180.100.170.2	118268	12,85
DR 10,0	200	127,00	15	05.180.100.200.2	138055	13,25
DR 10,0	220	144,00	15	05.180.100.220.2	147288	13,40
DR 10,0	250	156,00	10	05.180.100.250.2	147289	13,60
DR 10,0	340	198,00	10	05.180.100.340.2	118270	15,90
DR 10,0	680	357,00	1	05.180.100.680.2	135166	24,85
DR 15,0	165	197,00	10	05.180.150.165.2	138056	16,05
DR 15,0	200	240,00	5	05.180.150.200.2	138057	16,75
DR 15,0	300	304,00	5	05.180.150.300.2	135167	20,60
DR 15,0	400	370,00	1	05.180.150.400.2	118271	25,70
DR 20,0	340	438,00	1	05.180.200.340.2	138058	38,70
DR 20,0	500	587,00	1	05.180.200.500.2	118272	40,60



PFEIFER WK Moulding Insert – with threaded plate

Type/Size	Thread	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WK/DR 1,3	M 8	11,00	1	05.181.013	118273	8,45
WK/DR 2,0/2,5	M 10	15,00	1	05.181.025	223693	9,80
WK/DR 4,0/5,0	M 10	29,00	1	05.181.040	223694	13,35
WK/DR 6,3/7,5	M 10	51,00	1	05.181.063	223695	18,70
WK/DR 8,0/10,0	M 10	50,00	1	05.181.100	223696	18,70
WK/DR 12,5	M 10	120,00	1	05.181.125	223697	34,40
WK/DR 15,0	M 10	125,00	1	05.181.150	223698	35,30
WK/DR 20,0	M 10	132,00	1	05.181.200	223699	36,20



PFEIFER WK Moulding Insert – with threaded stud

Type/Size	Thread	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WK/DR 1,3	M 8	20,00	1	05.191.013	118415	8,80
WK/DR 2,0/2,5	M 10	25,00	1	05.191.025	223700	11,90
WK/DR 4,0/5,0	M 10	40,00	1	05.191.040	223701	16,90
WK/DR 6,3/7,5	M 10	61,00	1	05.191.063	223702	22,55
WK/DR 8,0/10,0	M 10	53,00	1	05.191.100	223703	22,55
WK/DR 12,5	M 10	130,00	1	05.191.125	223704	43,00
WK/DR 15,0	M 10	130,00	1	05.191.150	223705	44,10
WK/DR 20,0	M 10	130,00	1	05.191.200	223706	44,80



PFEIFER Quicklift – painted

Type/Size	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
WK/DR 1,3	0,90	1	05.184.013.3	175722	133,50
WK/DR 2,0/2,5	1,48	1	05.184.025.3	175723	160,00
WK/DR 4,0/5,0	3,24	1	05.184.050.3	175724	241,00
WK/DR 6,3 – 10,0	10,40	1	05.184.100.3	175725	410,00
WK/DR 12,5 – 20,0	24,00	1	05.184.200.3	273701	709,00



We at PFEIFER building technology have made it our aim to fulfil the highest possible standards in consultation. And that is exactly why the PFEIFER consultant network operates side by side with engineers and planning offices – offering you numerous benefits:

- **Personal contacts with engineering know-how:** for the engineers at our customers and planning offices
- **Intensive training sessions:** practically oriented technical seminars ensure permanent knowledge sharing between supplier and precast industry
- **Reliable designs:** due to the farsightedness of our specialist consultation engineers, problems in detail and nodal point planning can be prevented
- **Safety through knowledge:** new developments, new framework directives or modified approvals are communicated to the planning engineers by a regular exchange of information
- **Free service:** technical know-how and verified assessment bases are always inclusive

PFEIFER makes the difference.

Fixing Systems

DB Anchor
Socket Dowel / Polyamide Sockets
Fixing for Push-Pull-Props
Attachment Points for Lift Construction



PFEIFER Waved Anchor DB for permanent fixing – short – socket zinc-plated

Type/Size	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	110	5,80	100	05.260.123.110	195240	3,05
Rd 16	174	20,50	50	05.260.163.174	206361	3,90
Rd 20	194	43,00	25	05.260.203.194	206368	6,00
Rd 24	252	56,00	25	05.260.243.252	195232	7,45
Rd 30	302	111,00	10	05.260.303.302	206369	11,30



PFEIFER Waved Anchor DB for permanent fixing – short – socket stainless steel

Type/Size	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	110	6,50	100	05.260.124.110	195237	10,05
Rd 16	174	20,50	50	05.260.164.174	206364	14,40
Rd 20	194	43,00	25	05.260.204.194	206365	22,95
Rd 24	252	60,00	25	05.260.244.252	195234	32,40
Rd 30	302	100,00	10	05.260.304.302	206372	63,40




PFEIFER Foot-Mounted Anchor DB for permanent fixing – socket zinc-plated

Type/Size	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	80	5,00	100	05.260.123.080	238295	3,80
Rd 16	120	20,00	50	05.260.163.120	238312	4,40
Rd 20	150	39,00	25	05.260.203.150	238314	6,65
Rd 24	180	47,50	25	05.260.243.180	238315	8,85
Rd 30	220	101,00	10	05.260.303.220	238316	12,10



PFEIFER Foot-Mounted Anchor DB for permanent fixing – socket stainless steel

Type/Size	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Rd 12	80	5,00	100	05.260.124.080	238320	11,15
Rd 16	120	20,00	50	05.260.164.120	238322	15,60
Rd 20	150	39,00	25	05.260.204.150	238324	24,35
Rd 24	180	47,50	25	05.260.244.180	238360	34,30
Rd 30	220	101,00	10	05.260.304.220	238361	66,10





PFEIFER Lifting Loop LSF

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Item No.	Price EUR/pc.
WLL 6,0	251	0,40	60	250720	on request
WLL 12,5	333	0,71	60	250721	on request
WLL 22,5	466	1,86	40	250722	on request



PFEIFER Lifting Loop LSV

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Item No.	Price EUR/pc.
WLL 5,0	213	0,36	60	250921	on request
WLL 10,0	226	0,48	60	250922	on request
WLL 17,5	304	0,88	60	250923	on request



PFEIFER Lifting Loop LSP

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Item No.	Price EUR/pc.
WLL 10,0	130	2,75	40	248928	on request
WLL 17,5	182	5,85	25	248951	on request
WLL 25,0	215	10,40	15	248953	on request
WLL 40,0	244	20,60	8	248954	on request



PFEIFER Lifting Loop LSG

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Item No.	Price EUR/pc.
WLL 5,0	526	1,05	60	248819	on request
WLL 10,0	530	1,90	30	248364	on request
WLL 17,5	540	2,50	30	248938	on request
WLL 25,0	548	4,08	15	248939	on request
WLL 40,0	558	7,08	10	248940	on request



PFEIFER Load Eye

Type/Size	Weight kg/pc.	Packing unit pcs.	Item No.	Price EUR/pc.
WLL 20	2,30	1	275100	on request
WLL 40	2,48	1	275103	on request



PFEIFER Socket Dowel – with cross hole – zinc-plated

Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 6/40	0,70	500	05.254.063.040	186965	37,40
M 8/40	0,84	500	05.254.083.040	118805	37,40
M 8/50	1,10	500	05.254.083.050	118807	41,10
M 10/50	2,00	500	05.254.103.050	118819	67,30
M 12/60	4,00	400	05.254.123.060	118832	87,10
M 12/70	5,00	400	05.254.123.070	179609	94,80
M 16/70	7,70	200	05.254.163.070	118855	133,00
M 16/80	8,00	200	05.254.163.080	118857	142,50
M 16/100	13,40	100	05.254.163.100	118859	169,50
M 16/120	15,70	100	05.254.163.120	186968	207,50
M 20/100	17,00	100	05.254.203.100	179600	247,00
M 20/120	21,00	100	05.254.203.120	179601	287,00
M 24/120	33,30	50	05.254.243.120	179612	442,00
M 30/150	55,00	25	05.254.303.150	209489	698,00



PFEIFER Socket Dowel – with cross hole – Stainless steel

Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 8/50	1,10	200	05.254.084.050	118808	197,00
M 10/50	2,00	100	05.254.104.050	179607	233,50
M 12/60	4,26	100	05.254.124.060	179610	316,00
M 16/80	10,00	100	05.254.164.080	118867	643,00
M 20/100	17,00	75	05.254.204.100	118884	1083,00



PFEIFER Socket Dowel – with cross hole and nail plate – zinc-plated

Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 10/50	2,80	500	05.258.103.050	250648	108,50
M 12/70	6,20	200	05.258.123.070	250649	139,50
M 16/100	14,60	100	05.258.163.100	250651	234,50
M 20/100	18,00	100	05.258.203.100	250652	309,00



PFEIFER Socket Dowel – with crimped end – zinc-plated

Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 6/40	0,90	500	05.250.063.040	118704	31,50
M 8/50	2,20	500	05.250.083.050	271630	35,00
M 10/50	2,20	500	05.250.103.050	186961	56,00
M 10/60	2,50	500	05.250.103.060	186962	63,60
M 12/50	3,60	400	05.250.123.050	186963	67,40
M 12/70	5,30	400	05.250.123.070	118737	82,40
M 16/70	8,00	200	05.250.163.070	118757	115,50
M 16/100	13,80	100	05.250.163.100	118761	168,00
M 20/100	15,10	100	05.250.203.100	179603	209,00
M 24/100	27,00	50	05.250.243.100	179604	384,00



PFEIFER Socket Dowel – with crimped end – Stainless steel

Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 6/40	0,80	200	05.250.064.040	179602	168,50
M 10/50	3,20	400	05.250.104.050	271627	233,00
M 10/60	3,80	400	05.250.104.060	257568	279,00



PFEIFER Socket Dowel – with crimped end and nail plate – zinc-plated

Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 12/70	6,40	200	05.252.123.070	250638	131,50
M 16/100	12,90	100	05.252.163.100	250639	224,00



PFEIFER Socket Dowel – with cross end – zinc-plated

Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 8/50	1,80	500	05.256.083.050	250640	70,00
M 10/60	3,80	400	05.256.103.060	118902	96,80
M 12/45	4,80	400	05.256.123.045	118909	107,50
M 12/70	7,10	200	05.256.123.070	250641	128,00
M 16/60	10,30	100	05.256.163.060	250642	166,50
M 16/100	15,30	100	05.256.163.100	250643	226,50
M 20/70	14,00	100	05.256.203.070	250644	251,50
M 20/100	20,00	50	05.256.203.100	250645	345,00
M 24/80	32,40	50	05.256.243.080	250646	428,00



PFEIFER Polyamide Socket

Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 6/23	0,18	1000	05.170.060	118206	22,20
M 8/30	0,33	1000	05.170.080	118207	28,90
M 10/37	0,62	1000	05.170.100	118208	31,10
M 12/44	0,97	1000	05.170.120	118209	59,70
M 16/58	1,94	1000	05.170.160	118212	92,70



PFEIFER Nail Disc

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 10	0,90	200	05.200.100	118434	26,85
M 12	0,90	200	05.200.120	118435	29,30
M 14	1,00	200	05.200.140	118436	32,20
M 16	1,00	200	05.200.160	118437	32,90
M 18	1,10	200	05.200.180	118438	33,20
M 20	1,10	200	05.200.200	118439	33,40
M 24	1,50	200	05.200.240	118440	34,60
M 30	1,50	200	05.200.300	118441	41,10



PFEIFER External Cap – Stainless steel – for Nail Discs

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
M 12	10	58	17,10	1	05.229.124	202668	23,05
M 16	10	58	18,20	1	05.229.164	202667	31,10
M 20	10	58	19,50	1	05.229.204	202666	41,20
M 24	10	58	23,00	1	05.229.244	202665	52,60
M 30	10	58	27,00	1	05.229.304	202664	63,80



PFEIFER External Cap – Concrete – for Nail Discs

Type/Size	Height plate mm	Diameter plate mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
M 12	9	57	3,80	50	05.230.055.12	278360	2,20
M 16	9	57	4,60	50	05.230.055.16	278362	2,20
M 20	9	57	5,20	50	05.230.055.20	278363	2,20
M 24	9	57	5,90	50	05.230.055.24	278364	2,20
M 30	9	57	7,70	50	05.230.055.30	278365	2,20



PFEIFER Nail Cap – for Polyamide Sockets

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/100 pcs.
M 6	0,09	500	05.174.060	118217	24,25
M 8	0,12	500	05.174.080	118218	27,20
M 10	0,14	500	05.174.100	118219	30,50
M 12	0,16	500	05.174.120	118220	41,40
M 16	0,24	500	05.174.160	118222	43,00



PFEIFER Fixing Screw – for Polyamide Sockets

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
M 6	6,00	1	05.206.063	118542	3,70
M 8	11,00	1	05.206.083	118543	4,10
M 10	12,62	1	05.206.103	118544	5,80
M 12	26,00	1	05.206.123	118545	7,25
M 16	46,00	1	05.206.163	118547	11,60



PFEIFER Mounting Bushing – with Dywidag thread

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/100 pcs.
DW 12,5	3,50	500	05.172.120	118213	164,00
DW 15,0	6,00	200	05.172.150	118215	247,00



PFEIFER Mounting Bar – with Dywidag thread

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
DW 12,5	22,00	1	05.178.122.250	118231	2,51
DW 15,0	34,00	1	05.178.152.250	118232	2,82



PFEIFER Mounting Wing Nut – with Dywidag thread

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
DW 12,5	40,00	10	05.177.123	118229	5,90
DW 15,0	50,00	10	05.177.153	118230	6,20



PFEIFER Push-Pull-Prop – Fixing MoFi

Typ/Größe	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Fixing for Push-Pull-Props MoFi 12	7,70	50	05.265.012.120	283200	1,95
Fixing for Push-Pull-Props MoFi 16	11,50	50	05.265.016.120	268510	2,95



PFEIFER Recess Disc – for MoFi

Type/Size	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Recess Disc MoFi 12, yellow	0,50	50	05.263.043.002	287251	0,28
Recess Disc MoFi 16, blue	0,60	50	05.263.052.002	270921	0,30



PFEIFER Magnet Disc – Galvanized – for MoFi

Type/Size	Version	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Magnet Disc-MoFi-12 zn	thread	0,09	1	05.263.044.001.01	290900	55,00
Magnet Disc-MoFi-12 zn	plugged	0,10	1	05.263.044.001.00	300043	57,00
Magnet Disc-MoFi-16 zn	thread	0,20	1	05.263.052.001.01	289484	59,00
Magnet Disc-MoFi-16 zn	plugged	0,20	1	05.263.052.001.00	270922	59,00



PFEIFER Cover Cap – for MoFi

Type/Size	Weight kg/50 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Cover Cap MoFi 12	0,30	50	05.263.043.003	287287	0,23
Cover Cap MoFi 16	0,35	50	05.263.052.003	273624	0,25



PFEIFER Cover Cap – for MoFi

Type/Size	Weight kg/50 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Cover Cap MoFi 12	0,30	50	05.263.043.003	287287	0,23
Cover Cap MoFi 16	0,35	50	05.263.052.003	273624	0,25



PFEIFER Button Head Fixing Bolt – for MoFi

Type/Size	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Button Head Fixing Bolt M12x95 mm	0,08	25	05.264.012.095	289061	0,69
Button Head Fixing Bolt M16x95 mm	0,19	25	05.264.016.095	275209	0,99



PFEIFER Push-Pull-Props – Concrete Screw ConFi

Type/Size	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
Fixing Screw ConFi 10	0,08	50	05.265.010.100	288156	2,95
Fixing Screw ConFi 14	0,20	10	05.265.014.125	288157	6,95

Connection Systems

7

Connection Systems

Steel Bearings PS-A
Staircase Bearing VarioSonic
Earthing System BEB
Sandwich Anchor System
Delta Anchor System
Column Shoe System
Wall Shoe System




PFEIFER Foundation Anchor – PGS/H2

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PGS 16/H2	550	0,89	1	05.337.162.2	200809	17,60
PGS 20/H2	635	1,35	1	05.337.202.2	200811	20,25
PGS 24/H2	690	3,28	1	05.337.242.2	200812	27,00
PGS 30/H2	940	8,82	1	05.337.302.2	200813	35,20
PGS 36/H2	1205	14,38	1	05.337.362.2	200814	47,50
PGS 42/H2	1380	21,97	1	05.337.422.2	200815	81,40
PGS 48/H2	1640	38,60	1	05.337.482.2	200816	134,00
PGS 56/H2	1890	50,51	1	05.337.562.2	200817	192,00



PFEIFER Foundation Anchor – PGS/H4

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PGS 20/H4	415	1,50	1	05.337.202.4	200818	26,90
PGS 24/H4	490	2,71	1	05.337.242.4	200819	29,55
PGS 30/H4	760	6,19	1	05.337.302.4	200820	42,50
PGS 36/H4	885	10,94	1	05.337.362.4	200821	80,30
PGS 42/H4	930	18,31	1	05.337.422.4	200822	117,00
PGS 48/H4	1250	24,41	1	05.337.482.4	200823	137,00
PGS 56/H4	1300	40,57	1	05.337.562.4	200824	214,50



PFEIFER Foundation Anchor – PGS/G3

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PGS 24/G3	700	3,45	1	05.331.242.3	176060	47,30
PGS 30/G3	890	7,02	1	05.331.302.3	176061	54,00
PGS 36/G3	1040	12,62	1	05.331.362.3	176062	96,80
PGS 42/G3	1150	19,40	1	05.331.422.3	176063	142,50
PGS 48/G3	1245	29,60	1	05.331.482.3	176064	173,00
PGS 56/G3	1605	48,88	1	05.331.562.3	176065	270,00



PFEIFER Foundation Anchor – PGS/G2

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PGS 24/G2	765	2,34	1	05.331.242.2	176066	37,50
PGS 30/G2	1025	8,60	1	05.331.302.2	176067	57,00
PGS 36/G2	1310	8,40	1	05.331.362.2	176068	70,00
PGS 42/G2	1430	11,07	1	05.331.422.2	176069	127,00
PGS 48/G2	1540	20,34	1	05.331.482.2	176070	170,50
PGS 56/G2	2000	30,37	1	05.331.562.2	176071	248,50



PFEIFER Foundation Anchor – PGS/G1-K

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PGS 16/G1-K	280	0,90	1	05.331.162.11	281337	7,85
PGS 20/G1-K	350	1,20	1	05.331.202.11	281338	9,45
PGS 24/G1-K	430	2,20	1	05.331.242.11	281339	12,90
PGS 30/G1-K	550	3,70	1	05.331.302.11	281340	17,40
PGS 36/G1-K	700	6,90	1	05.331.362.11	281341	43,70



PFEIFER Foundation Anchor – PGS/G1

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PGS 16/G1	790	1,37	1	05.331.162.10.079	281811	8,85
PGS 20/G1	970	2,70	1	05.331.202.10.097	281813	10,70
PGS 24/G1	1110	4,71	1	05.331.242.10.111	281814	15,60
PGS 30/G1	1360	9,35	1	05.331.302.10.136	281815	25,50
PGS 36/G1	1590	16,90	1	05.331.362.10.159	281816	56,50



PFEIFER Foundation Anchor – PGS/G1-DK

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PGS 16/G1-DK	291	0,76	1	05.331.162.12	222891	26,90
PGS 20/G1-DK	361	1,48	1	05.331.202.12	222892	39,30
PGS 24/G1-DK	433	2,56	1	05.331.242.12	222894	52,10
PGS 30/G1-DK	642	5,99	1	05.331.302.12	222895	85,30
PGS 36/G1-DK	753	10,00	1	05.331.362.12	222896	127,00
PGS 42/G1-DK	884	15,00	1	05.331.422.12	222897	167,00
PGS 48/G1-DK	1015	23,00	1	05.331.482.12	222898	228,50
PGS 56/G1-DK	1215	37,00	1	05.331.562.12	222899	335,00



PFEIFER Column Shoe – PSF

Type/Size	Designed for	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PSF 16	VB I C30/37; C35/45; C40/50 VB II C40/50; C45/55; C50/60	2,94	1	05.335.162.301.00	203635	30,80
PSF 20	VB I C30/37; C35/45; C40/50 VB II C40/50; C45/55; C50/60	4,88	1	05.335.202.301.00	203645	32,70
PSF 24	VB I C30/37; C35/45; C40/50 VB II C40/50; C45/55; C50/60	8,53	1	05.335.242.301.00	203656	46,40
PSF 30-1	VB I C30/37; C35/45; C40/50 VB II C40/50; C45/55; C50/60	14,51	1	05.335.302.301.01	203666	65,40
PSF 30-2	VB I C30/37; C35/45	23,88	1	05.335.302.301.02	203676	100,50
PSF 36	VB I C30/37; C35/45; C40/50 VB II C40/50; C45/55; C50/60	38,55	1	05.335.362.301.00	203687	149,00



PFEIFER Column Shoe – PGM – for concrete grade C30/37 and good bonding conditions

Type/Size	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PGM 42	56,00	1	05.336.390	151577	210,00
PGM 48	96,50	1	05.336.480	151578	343,00
PGM 56	121,90	1	05.336.650	151579	429,00

Other versions on enquiry.



PFEIFER Column Shoe – PCC


Type/Size	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PCC 16	2,61	1	05.336.162.00	273703	14,95
PCC 20	4,81	1	05.336.202.00	273704	21,90
PCC 24	7,89	1	05.336.242.00	273705	28,10
PCC 30-1	15,25	1	05.336.302.01	273706	47,80
PCC 30-2	20,50	1	05.336.302.02	273707	72,90
PCC 36	33,72	1	05.336.360.00	273708	104,75






PFEIFER Fixing Socket – PCC – zinc-plated – for PCC Column Shoes

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PCC 16	8,90	1	05.236.016.003	275657	16,85
PCC 20	14,10	1	05.236.020.003	275658	18,20
PCC 24	23,30	1	05.236.024.003	275659	19,50
PCC 30-1	37,20	1	05.236.030.103	275660	22,05
PCC 30-2	46,00	1	05.236.030.203	275661	24,70
PCC 36	79,80	1	05.236.036.003	275662	25,95



PFEIFER Positioning Sockets – Galvanized – for PCC Column Shoes

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PCC 16	4,00	1	05.236.016.005	279424	12,95
PCC 20	6,00	1	05.236.020.005	279425	14,95
PCC 24	13,00	1	05.236.024.005	279426	15,75
PCC 30-1	22,00	1	05.236.030.105	279427	17,95
PCC 30-2	34,00	1	05.236.030.205	279428	20,75
PCC 36	60,00	1	05.236.036.005	279429	23,25



PFEIFER Moulding Bloc – Metal – corner – for PCC Column Shoes

Type/Size	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PCC 16	0,33	1	05.235.016.005	325859	64,70
PCC 20	0,40	1	05.235.020.005	325860	66,85
PCC 24	0,46	1	05.235.024.005	325861	69,10
PCC 30-1	0,61	1	05.235.030.105	325862	74,15
PCC 30-2	0,62	1	05.235.030.205	325863	75,35
PCC 36	0,76	1	05.235.036.005	325864	80,75



PFEIFER Moulding Bloc – PFEIFER Polystyrene Moulding Bloc – corner – for PCC Column Shoes

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PCC 16	1,00	1	05.235.016.003	278934	1,92
PCC 20	1,00	1	05.235.020.003	278935	2,63
PCC 24	1,00	1	05.235.024.003	278936	3,35
PCC 30-1	1,00	1	05.235.030.103	278937	3,90
PCC 30-2	1,00	1	05.235.030.203	278938	3,90
PCC 36	1,00	1	05.235.036.003	278939	4,95



PFEIFER Moulding Bloc – PFEIFER Polystyrene Moulding Bloc – side – for PCC Column Shoes

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PCC 16	1,00	1	05.235.016.004	278982	1,92
PCC 20	1,00	1	05.235.020.004	278983	2,63
PCC 24	1,00	1	05.235.024.004	278984	3,35
PCC 30-1	1,00	1	05.235.030.104	278985	3,90
PCC 30-2	1,00	1	05.235.030.204	278986	3,90
PCC 36	1,00	1	05.235.036.004	278987	4,95



PFEIFER Fixing Screw – for PCC/PSF Fixing Sockets

Type/Size	Thread	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PCC 16–24 / PSF 16–24	M10	12,62	1	05.206.103	118544	5,80
PCC 30–36 / PSF 30–36	M16	46,00	1	05.206.163	118547	11,60




PFEIFER Connecting Bolt – PVB, PGV

Type/Size	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PVB 16	130	25,00	1	05.339.016.130.2	203111	7,05
PVB 20	145	56,00	1	05.339.020.145.2	203112	8,30
PVB 24	160	93,00	1	05.339.024.160.2	203113	11,70
PVB 30	195	175,00	1	05.339.030.195.2	203114	16,55
PVB 36	230	284,00	1	05.339.036.230.2	203115	24,95
PGV 42	240	390,00	1	05.339.042.240.2	159040	34,30
PGV 48	270	560,00	1	05.339.048.270.2	159041	47,30
PGV 56	300	870,00	1	05.339.056.300.2	159042	72,70



PFEIFER Wall Shoe – PWS

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PWS 120	880	6,00	1	05.338.120	199442	37,80
PWS 200	1360	10,84	1	05.338.200	199443	44,10
PWS 330	1660	20,00	1	05.338.330	199444	78,00
PWS 400	1740	30,00	1	05.338.400	199445	164,50
PWS 650	2330	55,00	1	05.338.650	199446	210,50
PWS 900	2540	73,00	1	05.338.900	199447	258,50



PFEIFER Cover Plate – for Wall Shoes

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
160 x 150	15,00	1	05.338.001	165352	6,10



PFEIFER Connecting Bolt – PAP

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PAP 16	180	1,10	1	05.339.162	199401	21,25
PAP 20	200	1,70	1	05.339.202	199402	25,70
PAP 24	220	2,20	1	05.339.242	199403	27,80
PAP 30	270	3,60	1	05.339.302	199404	35,20
PAP 36	320	6,40	1	05.339.362	199405	39,70
PAP 42	370	10,00	1	05.339.422	199406	78,90
PAP 48	410	13,10	1	05.339.482	199407	101,50
PAP 56	440	16,30	1	05.339.562	199408	126,00



PFEIFER Intermediate Staircase Bearing VarioSonic SL

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
SL-WS 150	450,00	1	05.370.122.3	152932	67,30
SL-HS 150	320,00	1	05.370.222.3	152931	62,10
SL-W 150	382,00	1	05.370.322.3	152929	56,10
SL-H 150	248,00	1	05.370.422.3	152933	51,00
SL-WS 170	450,00	1	05.370.122.3.170	166299	72,10
SL-HS 170	320,00	1	05.370.222.3.170	166300	66,90
SL-W 170	420,00	1	05.370.322.3.170	166301	61,00
SL-H 170	280,00	1	05.370.422.3.170	166302	55,80



PFEIFER Staircase End Bearing VarioSonic SLE

Typ/Größe	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
SLE	84,00	1	05.371.122.3	152930	24,55



Calculation Software

For your technical assistance – free calculation software

The free software modules are available on our website after a short registration. With these modules, you can calculate the PFEIFER product fast and effective and create a checkable printout. Currently the following software modules are available:

- PFEIFER Sandwich Anchor System
- PFEIFER Steel Bearing
- PFEIFER DB Anchor for permanent fixing
- PFEIFER Column Shoe System
- PFEIFER VS® System
- PFEIFER Delta Anchor System



For your drawing support – free CAD software

PFEIFER products can be quickly and easily inserted into your drawings in form of DXF/DWG files available online. Similarly, you can use the PFEIFER parts tool for STRAKON and AutoCad®. These parts can be exported in part lists.





**Now with general
building regulations
approval from DIBT!**



PFEIFER Steel Bearing

Type/Size	Height h mm	Weight kg/pc.	Packing unit pcs.	Item No.	Price EUR/pc.
PS-A 65	225	9,56	1	239472	60,50
PS-A 65	250	9,80	1	239473	60,50
PS-A 65	275	10,00	1	239474	60,50
PS-A 65	300	10,00	1	239475	60,50
PS-A 65	325	10,10	1	239476	60,50
PS-A 65	350	10,20	1	239477	60,50
PS-A 65	375	10,20	1	239478	60,50
PS-A 65	400	10,30	1	239479	60,50
PS-A 80/100	225	13,40	1	239397	72,90
PS-A 80/100	250	13,50	1	239398	72,90
PS-A 80/100	275	13,60	1	239399	72,90
PS-A 80/100	300	13,70	1	239400	72,90
PS-A 80/100	325	13,80	1	239401	72,90
PS-A 80/100	350	13,90	1	239402	72,90
PS-A 80/100	375	13,22	1	239403	72,90
PS-A 80/100	400	14,10	1	239404	72,90
PS-A 130	300	16,10	1	239408	92,40
PS-A 130	325	16,20	1	239409	92,40
PS-A 130	350	16,30	1	239410	92,40
PS-A 130	375	16,40	1	239411	92,40
PS-A 130	400	16,60	1	239412	92,40
PS-A 130	425	16,70	1	239413	92,40
PS-A 130	450	16,80	1	239414	92,40
PS-A 130	475	17,40	1	239415	92,40
PS-A 130	500	17,40	1	239416	92,40
PS-A 160	350	25,00	1	239417	128,50
PS-A 160	375	25,10	1	239418	128,50
PS-A 160	400	25,20	1	239419	128,50
PS-A 160	425	25,30	1	239420	128,50
PS-A 160	450	25,40	1	239421	128,50
PS-A 160	475	25,50	1	239422	128,50
PS-A 160	500	25,70	1	239423	128,50
PS-A 160	550	26,00	1	239424	128,50



PFEIFER-fixing bracket LCON

Type/Size	Weight kg/pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
LCON 1 + ZS 1 ¹⁾	1,52	1	05.280.06.011.01	320526	on request
LCON 2 + ZS 2 ¹⁾	2,00	1	05.280.06.013.01	324133	on request
LCON 3 + ZS 3 ¹⁾	2,40	1	05.280.08.013.01	324134	on request
LCON 4 + ZS 4 ¹⁾	3,45	1	05.280.10.018.01	324135	on request
ZS 1	0,13	5	05.280.06.011.02	322471	on request
ZS 2/3	0,13	5	05.280.06.013.02	324138	on request
ZS 4	0,15	5	05.280.06.018.02	324140	on request

¹⁾ Set consists of 2 brackets and washers




PFEIFER Cylinder Anchor

Type/Size	Diameter mm	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
ZA-51-1,5-150	51	150	28,00	1	05.380.051.150	176718	13,00
ZA-76-1,5-150	76	150	42,00	1	05.380.076.150	176730	16,75
ZA-102-1,5-150	102	150	56,00	1	05.380.102.150	176735	20,15
ZA-127-1,5-150	127	150	65,00	1	05.380.127.150	176740	25,85
ZA-153-1,5-150	153	150	78,00	1	05.380.153.150	176745	29,40
ZA-178-1,5-150	178	150	94,00	1	05.380.178.150	176750	33,50
ZA-204-1,5-150	204	150	112,00	1	05.380.204.150	176755	on request
ZA-229-1,5-150	229	150	125,00	1	05.380.229.150	176758	on request
ZA-255-1,5-150	255	150	139,00	1	05.380.255.150	176761	on request
ZA-280-1,5-150	280	150	141,00	1	05.380.280.150	176764	on request
ZA-51-1,5-175	51	175	32,00	1	05.380.051.175	176726	16,00
ZA-76-1,5-175	76	175	49,00	1	05.380.076.175	176731	20,55
ZA-102-1,5-175	102	175	64,00	1	05.380.102.175	176736	25,05
ZA-127-1,5-175	127	175	82,00	1	05.380.127.175	176741	29,95
ZA-153-1,5-175	153	175	97,00	1	05.380.153.175	176746	34,50
ZA-178-1,5-175	178	175	116,00	1	05.380.178.175	176751	39,30
ZA-204-1,5-175	204	175	132,00	1	05.380.204.175	176756	43,80
ZA-229-1,5-175	229	175	148,00	1	05.380.229.175	176759	48,30
ZA-255-1,5-175	255	175	164,00	1	05.380.255.175	176762	52,80
ZA-280-1,5-175	280	175	169,00	1	05.380.280.175	176765	56,90
ZA-51-1,5-200	51	200	38,00	1	05.380.051.200	176727	18,75
ZA-76-1,5-200	76	200	57,00	1	05.380.076.200	176732	24,95
ZA-102-1,5-200	102	200	76,00	1	05.380.102.200	176737	31,00
ZA-127-1,5-200	127	200	95,00	1	05.380.127.200	176742	37,10
ZA-153-1,5-200	153	200	114,00	1	05.380.153.200	176747	43,20
ZA-178-1,5-200	178	200	133,00	1	05.380.178.200	176752	49,20
ZA-204-1,5-200	204	200	149,00	1	05.380.204.200	176757	54,30
ZA-229-1,5-200	229	200	171,00	1	05.380.229.200	176760	60,00
ZA-255-1,5-200	255	200	189,00	1	05.380.255.200	176763	66,20
ZA-280-1,5-200	280	200	208,00	1	05.380.280.200	176766	71,10
ZA-51-1,5-225	51	225	42,00	1	05.380.051.225	176728	19,50
ZA-76-1,5-225	76	225	60,00	1	05.380.076.225	176733	25,75
ZA-102-1,5-225	102	225	86,00	1	05.380.102.225	176738	31,60
ZA-127-1,5-225	127	225	107,00	1	05.380.127.225	176743	38,00
ZA-153-1,5-225	153	225	128,00	1	05.380.153.225	176748	44,10
ZA-178-1,5-225	178	225	150,00	1	05.380.178.225	176753	68,00
ZA-204-1,5-225	204	225	171,00	1	05.380.204.225	176768	75,60
ZA-229-1,5-225	229	225	191,00	1	05.380.229.225	176770	83,80
ZA-255-1,5-225	255	225	215,00	1	05.380.255.225	176772	92,50
ZA-280-1,5-225	280	225	235,00	1	05.380.280.225	176774	99,60
ZA-51-1,5-260	51	260	46,00	1	05.380.051.260	176729	22,60
ZA-76-1,5-260	76	260	74,00	1	05.380.076.260	176734	29,80
ZA-102-1,5-260	102	260	100,00	1	05.380.102.260	176739	36,50
ZA-127-1,5-260	127	260	123,00	1	05.380.127.260	176744	44,10
ZA-153-1,5-260	153	260	135,00	1	05.380.153.260	176749	50,70
ZA-178-1,5-260	178	260	169,00	1	05.380.178.260	176754	78,50
ZA-204-1,5-260	204	260	201,00	1	05.380.204.260	176769	87,10
ZA-229-1,5-260	229	260	224,00	1	05.380.229.260	176771	96,70
ZA-255-1,5-260	255	260	248,00	1	05.380.255.260	176773	106,50
ZA-280-1,5-260	280	260	273,00	1	05.380.280.260	176775	114,50
ZA-51-1,5-300	51	300	52,00	1	05.380.051.300	179315	28,45
ZA-76-1,5-300	76	300	83,00	1	05.380.076.300	179316	35,70
ZA-102-1,5-300	102	300	103,00	1	05.380.102.300	179317	46,70
ZA-127-1,5-300	127	300	131,00	1	05.380.127.300	179318	58,00
ZA-153-1,5-300	153	300	153,00	1	05.380.153.300	179319	69,90
ZA-178-1,5-300	178	300	204,00	1	05.380.178.300	179320	90,70
ZA-204-1,5-300	204	300	206,00	1	05.380.204.300	179321	103,50
ZA-229-1,5-300	229	300	261,00	1	05.380.229.300	179322	116,50
ZA-255-1,5-300	255	300	290,00	1	05.380.255.300	179323	130,00
ZA-280-1,5-300	280	300	315,00	1	05.380.280.300	179324	142,50
ZA-127-1,5-340	127	340	149,00	1	05.380.127.340	264736	72,20
ZA-153-1,5-340	153	340	173,00	1	05.380.153.340	264737	89,10
ZA-178-1,5-340	178	340	231,00	1	05.380.178.340	264738	102,90
ZA-204-1,5-340	204	340	234,00	1	05.380.204.340	264739	119,90
ZA-229-1,5-340	229	340	296,00	1	05.380.229.340	264741	136,30
ZA-255-1,5-340	255	340	329,00	1	05.380.255.340	264742	153,50
ZA-280-1,5-340	280	340	357,00	1	05.380.280.340	264743	170,50

Prices do not include the currently valid alloy surcharge (LZ) for this product.


*00 Memmingen / Errors and Omissions Excepted.



PFEIFER Flat Anchor – Plate thickness 1,5 mm

Type/Size	Length l mm	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
FLA-80-1,5-150	80	150	14,00	25	05.381.080.15.150	176777	4,95
FLA-120-1,5-150	120	150	21,00	25	05.381.120.15.150	176778	7,25
FLA-160-1,5-150	160	150	28,00	25	05.381.160.15.150	176780	9,25
FLA-200-1,5-150	200	150	33,00	25	05.381.200.15.150	176781	11,50
FLA-240-1,5-150	240	150	42,00	25	05.381.240.15.150	176782	13,70
FLA-280-1,5-150	280	150	49,00	15	05.381.280.15.150	176783	16,05
FLA-320-1,5-150	320	150	54,00	15	05.381.320.15.150	176784	18,30
FLA-360-1,5-150	360	150	56,00	15	05.381.360.15.150	176785	20,45
FLA-400-1,5-150	400	150	64,00	15	05.381.400.15.150	176786	22,70
FLA-80-1,5-175	80	175	16,00	25	05.381.080.15.175	176796	6,80
FLA-120-1,5-175	120	175	25,00	25	05.381.120.15.175	176797	9,60
FLA-160-1,5-175	160	175	33,00	25	05.381.160.15.175	176798	11,35
FLA-200-1,5-175	200	175	41,00	25	05.381.200.15.175	176799	13,75
FLA-240-1,5-175	240	175	45,00	15	05.381.240.15.175	176800	16,20
FLA-280-1,5-175	280	175	54,00	15	05.381.280.15.175	176801	19,35
FLA-320-1,5-175	320	175	65,00	15	05.381.320.15.175	176802	24,30
FLA-360-1,5-175	360	175	68,00	15	05.381.360.15.175	176803	24,75
FLA-400-1,5-175	400	175	76,00	15	05.381.400.15.175	176804	27,05
FLA-80-1,5-200	80	200	19,00	25	05.381.080.15.200	176787	8,80
FLA-120-1,5-200	120	200	29,00	25	05.381.120.15.200	176788	11,70
FLA-160-1,5-200	160	200	38,00	25	05.381.160.15.200	176789	15,65
FLA-200-1,5-200	200	200	48,00	15	05.381.200.15.200	176790	19,00
FLA-240-1,5-200	240	200	57,00	15	05.381.240.15.200	176791	22,70
FLA-280-1,5-200	280	200	67,00	15	05.381.280.15.200	176792	26,80
FLA-320-1,5-200	320	200	76,00	15	05.381.320.15.200	176793	30,40
FLA-360-1,5-200	360	200	80,00	15	05.381.360.15.200	176794	34,50
FLA-400-1,5-200	400	200	88,00	10	05.381.400.15.200	176795	38,20
FLA-80-1,5-225	80	225	22,00	25	05.381.080.15.225	176806	9,75
FLA-120-1,5-225	120	225	32,00	25	05.381.120.15.225	176807	12,75
FLA-160-1,5-225	160	225	42,00	25	05.381.160.15.225	176808	16,60
FLA-200-1,5-225	200	225	54,00	15	05.381.200.15.225	176809	20,25
FLA-240-1,5-225	240	225	63,00	15	05.381.240.15.225	176810	24,40
FLA-280-1,5-225	280	225	75,00	15	05.381.280.15.225	176811	29,15
FLA-320-1,5-225	320	225	82,00	15	05.381.320.15.225	176812	33,20
FLA-360-1,5-225	360	225	97,00	10	05.381.360.15.225	176814	37,30
FLA-400-1,5-225	400	225	108,00	15	05.381.400.15.225	176815	41,30
FLA-80-1,5-260	80	260	24,00	25	05.381.080.15.260	303498	11,25
FLA-120-1,5-260	120	260	36,00	15	05.381.120.15.260	303499	14,50
FLA-160-1,5-260	160	260	48,75	15	05.381.160.15.260	303500	18,95
FLA-200-1,5-260	200	260	60,75	10	05.381.200.15.260	303501	23,25
FLA-240-1,5-260	240	260	72,75	10	05.381.240.15.260	303502	26,25
FLA-280-1,5-260	280	260	86,25	5	05.381.280.15.260	303503	29,95
FLA-320-1,5-260	320	260	98,25	5	05.381.320.15.260	303504	35,00
FLA-360-1,5-260	360	260	111,75	5	05.381.360.15.260	303505	39,20
FLA-400-1,5-260	400	260	123,00	5	05.381.400.15.260	303506	43,30

Prices do not include the currently valid alloy surcharge (LZ) for this product.





PFEIFER Flat Anchor – plate thickness 2,0 mm

Type/Size	Length l mm	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
FLA-80-2-175	80	175	22,00	25	05.381.080.20.175	176816	8,45
FLA-120-2-175	120	175	32,00	25	05.381.120.20.175	176817	11,35
FLA-160-2-175	160	175	43,00	25	05.381.160.20.175	176818	15,35
FLA-200-2-175	200	175	49,00	15	05.381.200.20.175	176819	17,95
FLA-240-2-175	240	175	64,00	15	05.381.240.20.175	176820	20,65
FLA-280-2-175	280	175	75,00	15	05.381.280.20.175	176821	24,05
FLA-320-2-175	320	175	79,00	15	05.381.320.20.175	176822	26,75
FLA-360-2-175	360	175	99,00	15	05.381.360.20.175	176823	29,65
FLA-400-2-175	400	175	111,00	15	05.381.400.20.175	176824	32,50
FLA-80-2-200	80	200	25,00	25	05.381.080.20.200	176825	9,60
FLA-120-2-200	120	200	37,00	25	05.381.120.20.200	176826	12,95
FLA-160-2-200	160	200	52,00	15	05.381.160.20.200	176827	17,50
FLA-200-2-200	200	200	62,00	15	05.381.200.20.200	176828	20,25
FLA-240-2-200	240	200	75,00	15	05.381.240.20.200	176829	23,45
FLA-280-2-200	280	200	86,00	10	05.381.280.20.200	176830	28,45
FLA-320-2-200	320	200	99,00	10	05.381.320.20.200	176831	33,20
FLA-360-2-200	360	200	110,00	5	05.381.360.20.200	176832	36,50
FLA-400-2-200	400	200	122,00	5	05.381.400.20.200	176833	39,90
FLA-80-2-225	80	225	28,00	25	05.381.080.20.225	176834	10,45
FLA-120-2-225	120	225	42,00	25	05.381.120.20.225	176835	13,95
FLA-160-2-225	160	225	56,00	15	05.381.160.20.225	176836	18,65
FLA-200-2-225	200	225	70,00	15	05.381.200.20.225	176837	22,15
FLA-240-2-225	240	225	85,00	10	05.381.240.20.225	176838	27,10
FLA-280-2-225	280	225	97,00	10	05.381.280.20.225	176839	31,30
FLA-320-2-225	320	225	113,00	5	05.381.320.20.225	176840	35,10
FLA-360-2-225	360	225	128,00	5	05.381.360.20.225	176841	38,40
FLA-400-2-225	400	225	141,00	5	05.381.400.20.225	176842	43,60
FLA-80-2-260	80	260	32,00	25	05.381.080.20.260	176843	18,50
FLA-120-2-260	120	260	48,00	15	05.381.120.20.260	176844	22,60
FLA-160-2-260	160	260	65,00	15	05.381.160.20.260	176845	27,05
FLA-200-2-260	200	260	81,00	10	05.381.200.20.260	176846	31,00
FLA-240-2-260	240	260	97,00	10	05.381.240.20.260	176847	35,10
FLA-280-2-260	280	260	115,00	5	05.381.280.20.260	176848	40,10
FLA-320-2-260	320	260	131,00	5	05.381.320.20.260	176849	44,80
FLA-360-2-260	360	260	149,00	5	05.381.360.20.260	176850	49,10
FLA-400-2-260	400	260	164,00	5	05.381.400.20.260	176851	52,80
FLA-80-2-280	80	280	34,00	25	05.381.080.20.280	204687	21,85
FLA-120-2-280	120	280	51,00	15	05.381.120.20.280	204688	24,40
FLA-160-2-280	160	280	68,00	15	05.381.160.20.280	204689	32,70
FLA-200-2-280	200	280	86,00	10	05.381.200.20.280	204690	34,50
FLA-240-2-280	240	280	104,00	10	05.381.240.20.280	204691	38,70
FLA-280-2-280	280	280	120,00	5	05.381.280.20.280	204692	50,30
FLA-320-2-280	320	280	137,00	5	05.381.320.20.280	204693	53,30
FLA-360-2-280	360	280	154,00	5	05.381.360.20.280	204694	57,90
FLA-400-2-280	400	280	172,00	5	05.381.400.20.280	204695	63,00
FLA-80-2-300	80	300	37,00	50	05.381.080.20.300	204686	23,75
FLA-120-2-300	120	300	56,00	15	05.381.120.20.300	204685	26,65
FLA-160-2-300	160	300	74,00	15	05.381.160.20.300	204684	35,00
FLA-200-2-300	200	300	92,00	10	05.381.200.20.300	204683	35,90
FLA-240-2-300	240	300	110,00	5	05.381.240.20.300	204682	41,30
FLA-280-2-300	280	300	129,00	5	05.381.280.20.300	204681	53,40
FLA-320-2-300	320	300	148,00	5	05.381.320.20.300	204679	56,90
FLA-360-2-300	360	300	168,00	5	05.381.360.20.300	204678	61,20
FLA-400-2-300	400	300	276,00	5	05.381.400.20.300	204677	65,90
FLA-120-2-320	120	320	60,00	15	05.381.120.20.320	217618	30,60
FLA-160-2-320	160	320	79,00	15	05.381.160.20.320	217543	37,20
FLA-200-2-320	200	320	100,00	10	05.381.200.20.320	217617	40,10
FLA-240-2-320	240	320	121,00	5	05.381.240.20.320	217616	46,60
FLA-280-2-320	280	320	140,00	5	05.381.280.20.320	217615	56,60
FLA-320-2-320	320	320	163,00	5	05.381.320.20.320	217544	63,00
FLA-360-2-320	360	320	184,00	5	05.381.360.20.320	217613	69,20
FLA-400-2-320	400	320	202,00	5	05.381.400.20.320	217614	76,90

Flat Anchors thickness of 3 mm and not listed sizes on request.

Prices do not include the currently valid alloy surcharge (LZ) for this product.



PFEIFER Flat Anchor – plate thickness 2,0 mm

Type/Size	Length l mm	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
FLA-160-2-340	160	340	84,00	15	05.381.160.20.340	264746	39,40
FLA-200-2-340	200	340	106,50	15	05.381.200.20.340	264747	44,30
FLA-240-2-340	240	340	128,50	15	05.381.240.20.340	264748	51,90
FLA-280-2-340	280	340	149,00	15	05.381.280.20.340	264749	59,95
FLA-320-2-340	320	340	173,00	15	05.381.320.20.340	264750	69,10
FLA-360-2-340	360	340	195,50	15	05.381.360.20.340	264751	77,20
FLA-400-2-340	400	340	215,00	15	05.381.400.20.340	264752	87,90
FLA-160-2-360	160	360	88,90	15	05.381.160.20.360	264753	41,60
FLA-200-2-360	200	360	112,50	15	05.381.200.20.360	264754	48,50
FLA-240-2-360	240	360	136,00	15	05.381.240.20.360	264755	57,20
FLA-280-2-360	280	360	157,50	15	05.381.280.20.360	264756	63,00
FLA-320-2-360	320	360	183,50	15	05.381.320.20.360	264757	75,20
FLA-360-2-360	360	360	207,00	15	05.381.360.20.360	264758	85,20
FLA-400-2-360	400	360	227,00	15	05.381.400.20.360	264759	98,90


Flat Anchors thickness of 3 mm and not listed sizes on request.

Prices do not include the currently valid alloy surcharge (LZ) for this product.

PFEIFER Delta-Anchor

Type/Size	Diameter mm	Height h mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
DTA-6,0-180/80	6	180	0,43	1	05.385.06.180	282925	13,20
DTA-6,0-200/80	6	200	0,48	1	05.385.06.200	282926	14,10
DTA-6,0-220/80	6	220	0,51	1	05.385.06.220	282927	14,80
DTA-6,0-240/80	6	240	0,52	1	05.385.06.240	282928	15,35
DTA-6,0-260/80	6	260	0,55	1	05.385.06.260	282929	16,10
DTA-8,0-180/80	8	180	0,76	1	05.385.08.180	282931	19,50
DTA-8,0-200/80	8	200	0,87	1	05.385.08.200	282932	20,05
DTA-8,0-220/80	8	220	0,91	1	05.385.08.220	282934	20,30
DTA-8,0-240/80	8	240	0,95	1	05.385.08.240	282935	21,25
DTA-8,0-260/80	8	260	0,99	1	05.385.08.260	282936	22,45
DTA-8,0-280/80	8	280	1,09	1	05.385.08.280	282937	23,55
DTA-8,0-300/80	8	300	1,13	1	05.385.08.300	282938	24,55
DTA-8,0-320/80	8	320	1,16	1	05.385.08.320	282939	25,35
DTA-10,0-220/80	10	220	1,33	1	05.385.10.220	282941	38,00
DTA-10,0-240/80	10	240	1,42	1	05.385.10.240	282942	39,30
DTA-10,0-260/80	10	260	1,62	1	05.385.10.260	282943	40,40
DTA-10,0-280/80	10	280	1,70	1	05.385.10.280	282944	41,40
DTA-10,0-300/80	10	300	1,73	1	05.385.10.300	282945	42,60
DTA-10,0-320/80	10	320	1,80	1	05.385.10.320	282946	43,70
DTA-10,0-340/80	10	340	1,89	1	05.385.10.340	282947	44,90
DTA-10,0-360/80	10	360	1,97	1	05.385.10.360	282948	46,00


Prices do not include the currently valid alloy surcharge (LZ) for this product.



PFEIFER Connector Pin

Type/Size	Diameter mm	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
VN-4-160	4	160	3,40	250	05.382.40.160	176882	0,98
VN-4-180	4	180	3,80	250	05.382.40.180	176883	1,01
VN-4-200	4	200	4,20	250	05.382.40.200	176884	1,18
VN-4-220	4	220	4,60	250	05.382.40.220	176885	1,23
VN-4-240	4	240	5,00	250	05.382.40.240	176886	1,43
VN-4-260	4	260	5,30	250	05.382.40.260	176887	1,52
VN-4-280	4	280	5,70	250	05.382.40.280	176888	1,65
VN-4-300	4	300	6,20	250	05.382.40.300	210832	1,76
VN-4-320	4	320	6,40	250	05.382.40.320	220409	1,96
VN-4-340	4	340	6,60	250	05.382.40.340	269856	2,18
VN-5-200	5	200	7,10	100	05.382.50.200	176889	2,24
VN-5-220	5	220	7,60	100	05.382.50.220	176890	2,36
VN-5-240	5	240	8,20	100	05.382.50.240	176891	2,49
VN-5-260	5	260	8,90	100	05.382.50.260	176892	2,97
VN-5-280	5	280	9,40	100	05.382.50.280	176893	3,30
VN-5-300	5	300	10,00	100	05.382.50.300	176894	3,45
VN-5-320	5	320	10,70	100	05.382.50.320	176895	3,70
VN-5-340	5	340	11,40	100	05.382.50.340	203702	4,10
VN-5-360	5	360	12,10	100	05.382.50.360	203703	4,30
VN-5-380	5	380	12,80	100	05.382.50.380	210838	4,50
VN-5-400	5	400	13,44	100	05.382.50.400	210833	4,65
VN-5-420	5	420	14,12	100	05.382.50.420	210834	4,95
VN-5-440	5	440	14,80	100	05.382.50.440	210835	5,20
VN-5-460	5	460	15,60	100	05.382.50.460	210836	5,45
VN-5-480	5	480	16,30	100	05.382.50.480	210837	5,70
VN-5-500	5	500	16,60	100	05.382.50.500	264781	5,95
VN-5-520	5	520	16,90	100	05.382.50.520	264782	6,20
VN-5-540	5	540	17,20	100	05.382.50.540	264783	6,45
VN-6-220	6	220	10,90	100	05.382.60.220	210840	2,99
VN-6-240	6	240	11,80	100	05.382.60.240	203704	3,20
VN-6-260	6	260	12,70	100	05.382.60.260	203705	3,45
VN-6-280	6	280	13,60	100	05.382.60.280	203706	3,70
VN-6-300	6	300	14,50	100	05.382.60.300	203707	4,10
VN-6-320	6	320	15,40	100	05.382.60.320	203708	4,30
VN-6-340	6	340	16,30	100	05.382.60.340	176896	4,55
VN-6-360	6	360	17,20	100	05.382.60.360	176897	4,60
VN-6-380	6	380	18,10	100	05.382.60.380	176898	4,65
VN-6-400	6	400	19,00	100	05.382.60.400	176899	4,85
VN-6-420	6	420	19,90	100	05.382.60.420	176900	4,95
VN-6-440	6	440	20,80	100	05.382.60.440	210841	5,20
VN-6-460	6	460	21,70	100	05.382.60.460	210842	5,40
VN-6-480	6	480	22,60	100	05.382.60.480	210843	5,60
VN-6-500	6	500	23,50	100	05.382.60.500	264784	6,95
VN-6-520	6	520	24,40	100	05.382.60.520	264785	7,25
VN-6-540	6	540	25,30	100	05.382.60.540	264786	7,55
VN-6-560	6	560	26,20	100	05.382.60.560	264787	7,85


Prices do not include the currently valid alloy surcharge (LZ) for this product.



PFEIFER Clip-on-Stirrup

Type/Size	Diameter mm	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
AN-4-140	4	140	4,20	250	05.383.40.140	176906	0,98
AN-4-160	4	160	4,60	250	05.383.40.160	176907	1,06
AN-4-180	4	180	5,00	250	05.383.40.180	176908	1,18
AN-4-200	4	200	5,40	250	05.383.40.200	176909	1,30
AN-4-220	4	220	5,80	250	05.383.40.220	176910	1,36
AN-4-240	4	240	6,20	250	05.383.40.240	176911	1,48
AN-4-260	4	260	6,60	250	05.383.40.260	210845	1,60
AN-4-280	4	280	7,00	250	05.383.40.280	210846	1,72
AN-5-200	5	200	8,70	100	05.383.50.200	176912	2,97
AN-5-220	5	220	9,30	100	05.383.50.220	176913	3,05
AN-5-240	5	240	9,90	100	05.383.50.240	176914	3,10
AN-5-260	5	260	10,50	100	05.383.50.260	176915	3,20
AN-5-280	5	280	11,20	100	05.383.50.280	176916	3,30
AN-5-300	5	300	11,80	100	05.383.50.300	176917	3,45
AN-5-320	5	320	12,40	100	05.383.50.320	176918	3,65
AN-5-340	5	340	13,00	100	05.383.50.340	176919	3,70
AN-5-360	5	360	13,60	100	05.383.50.360	176920	3,95
AN-5-380	5	380	14,20	100	05.383.50.380	264788	4,55
AN-5-400	5	400	14,80	100	05.383.50.400	264789	4,70
AN-5-420	5	420	15,50	100	05.383.50.420	264790	5,00
AN-6-200	6	200	12,90	100	05.383.60.200	203711	4,65
AN-6-240	6	240	14,70	100	05.383.60.240	203712	4,85
AN-6-280	6	280	16,40	100	05.383.60.280	203713	5,05
AN-6-320	6	320	18,20	100	05.383.60.320	203709	5,40
AN-6-360	6	360	20,00	100	05.383.60.360	203710	5,60
AN-6-380	6	380	20,90	100	05.383.60.380	264791	5,80
AN-6-400	6	400	21,80	100	05.383.60.400	264792	6,00
AN-6-420	6	420	22,70	100	05.383.60.4200	264793	6,30

Prices do not include the currently valid alloy surcharge (LZ) for this product.



PFEIFER Clip-on-Stirrup

Type/Size	Diameter mm	Height h mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
AB-4-140	4	140	3,60	250	05.384.40.140	176925	on request
AB-4-160	4	160	4,00	250	05.384.40.160	176926	1,11
AB-4-180	4	180	4,40	250	05.384.40.180	176927	1,31
AB-4-200	4	200	4,80	250	05.384.40.200	176928	1,43
AB-4-220	4	220	5,20	250	05.384.40.220	176929	1,65
AB-4-240	4	240	5,60	250	05.384.40.240	176930	1,74
AB-4-260	4	260	6,00	100	05.384.40.260	179347	1,83
AB-4-280	4	280	6,40	100	05.384.40.280	210844	1,98
AB-5-200	5	200	5,70	100	05.384.50.200	176931	2,23
AB-5-220	5	220	6,30	100	05.384.50.220	176932	2,33
AB-5-240	5	240	6,90	100	05.384.50.240	176933	2,42
AB-5-260	5	260	7,50	100	05.384.50.260	176934	2,57
AB-5-280	5	280	8,20	100	05.384.50.280	176935	2,75
AB-5-300	5	300	8,80	100	05.384.50.300	176936	2,83
AB-5-320	5	320	9,40	100	05.384.50.320	176937	2,97
AB-5-340	5	340	10,00	100	05.384.50.340	176938	3,05
AB-5-360	5	360	10,60	100	05.384.50.360	176939	3,20
AB-5-380	5	380	11,20	100	05.384.50.380	264794	3,45
AB-5-400	5	400	11,80	100	05.384.50.400	264795	3,70
AB-5-420	5	420	12,40	100	05.384.50.420	264796	3,95
AB-6-200	6	200	6,80	100	05.384.60.200	203718	3,00
AB-6-240	6	240	8,30	100	05.384.60.240	203719	3,20
AB-6-280	6	280	9,80	100	05.384.60.280	203728	3,50
AB-6-320	6	320	11,30	100	05.384.60.320	203716	3,70
AB-6-360	6	360	12,70	100	05.384.60.360	203717	4,10
AB-6-380	6	380	14,10	100	05.384.60.380	264797	4,50
AB-6-400	6	400	15,50	100	05.384.60.400	264798	4,90
AB-6-420	6	420	16,90	100	05.384.60.420	264799	5,30

Prices do not include the currently valid alloy surcharge (LZ) for this product.



PFEIFER BEB 1

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 1	400	0,76	1	05.450.162.040.01	135398	15,95



PFEIFER BEB 2

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 2	400	0,95	1	05.450.162.040.02	135403	16,90



PFEIFER BEB 3

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 3	400	0,75	1	05.450.162.040.03	135401	15,10



PFEIFER BEB 4 and BEB 5

Type/Size	Cu mm ²	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 4	70	500	0,61	1	05.450.162.050.04	140693	35,90
BEB 5	95	500	0,70	1	05.450.162.050.05	140910	38,70



PFEIFER BEB 6 and BEB 7

Type/Size	Cu mm ²	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 6	70	500	0,59	1	05.450.162.050.06	144904	36,80
BEB 7	95	500	0,70	1	05.450.162.050.07	144905	39,30



PFEIFER BEB 8

Type/Size	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 8	500	1,00	1	05.450.162.050.08	142781	35,20



PFEIFER BEB 9 and BEB 10

Type/Size	Cu mm ²	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 9	70	500	0,61	1	05.450.162.050.09	142759	33,00
BEB 10	95	500	0,70	1	05.450.162.050.10	142760	35,90



PFEIFER BEB 11

Type/Size	Cu mm ²	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 11	70	500	0,55	1	05.450.162.050.11	261183	37,70



PFEIFER BEB 15 and BEB 16

Type/Size	Cu mm ²	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 15	70	500	0,61	1	05.450.162.050.15	142763	36,50
BEB 16	50	500	0,50	1	05.450.162.050.16	142773	34,80



PFEIFER BEB 19 and BEB 20

Type/Size	Cu mm ²	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 19	70	500	0,61	1	05.450.162.050.19	142772	50,30
BEB 20	50	500	0,39	1	05.450.162.050.20	142777	48,60



PFEIFER BEB 25 and BEB 26

Type/Size	rope mm ²	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
BEB 25 (M 12)	95	500	0,62	1	05.450.122.050.25	237394	39,80
BEB 26 (M 16)	95	500	0,63	1	05.450.162.050.26	237400	41,40

Surcharge for additional length – PFEIFER BEB 2 – BEB 26

Type/Size	Weight kg/m	Surcharge EUR/m
BST 500	1,58	2,30
Cu 70 mm ²	0,77	12,75
Cu 95 mm ²	0,99	16,95
Cu 50 mm ²	0,75	10,10
Rope 95 mm ²	0,90	17,95

PFEIFER

Reinforcement Systems

VS® System

FS System

PH Reinforcement Continuity System



PFEIFER Female Bar – with nail plate

Type/Size	Thread	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-MU 8/350	M 12	350	0,15	1	05.320.082.035	135178	4,65
PH-MU 8/550	M 12	550	0,24	1	05.320.082.055	119055	5,10
PH-MU 10/400	M 14	400	0,27	1	05.320.102.040	135179	5,40
PH-MU 10/690	M 14	690	0,45	1	05.320.102.069	135181	5,90
PH-MU 12/400	M 16	400	0,42	1	05.320.122.040	119056	6,55
PH-MU 12/570	M 16	570	0,57	1	05.320.122.057	119057	6,60
PH-MU 12/800	M 16	800	0,78	1	05.320.122.080	119058	7,45
PH-MU 12/1500	M 16	1500	1,40	1	05.320.122.150	119059	11,25
PH-MU 14/400	M 18	400	0,61	1	05.320.142.040	119061	8,00
PH-MU 14/660	M 18	660	0,90	1	05.320.142.066	119062	8,40
PH-MU 14/930	M 18	930	1,23	1	05.320.142.093	119063	9,45
PH-MU 14/1500	M 18	1500	1,91	1	05.320.142.150	119064	12,25
PH-MU 16/400	M 20	400	0,77	1	05.320.162.040	119065	9,00
PH-MU 16/1020	M 20	1020	1,78	1	05.320.162.102	119067	10,50
PH-MU 16/1440	M 20	1440	2,43	1	05.320.162.144	119069	12,10
PH-MU 16/2000	M 20	2000	3,30	1	05.320.162.200	119070	17,25
PH-MU 20/400	M 24	400	1,22	1	05.320.202.040	119071	10,25
PH-MU 20/1280	M 24	1280	3,45	1	05.320.202.128	119073	14,95
PH-MU 20/1800	M 24	1800	4,73	1	05.320.202.180	119075	18,30
PH-MU 20/3000	M 24	3000	7,69	1	05.320.202.300	119076	28,20
PH-MU 25/400	M 30	400	2,07	1	05.320.252.040	119078	13,60
PH-MU 25/1600	M 30	1600	6,70	1	05.320.252.160	119081	23,85
PH-MU 25/2260	M 30	2260	9,24	1	05.320.252.226	119082	28,95
PH-MU 25/3600	M 30	3600	14,50	1	05.320.252.360	119083	44,30
PH-MU 28/400	M 36	400	2,75	1	05.320.282.040	119084	17,40
PH-MU 28/1790	M 36	1790	9,48	1	05.320.282.179	119088	31,00
PH-MU 28/2530	M 36	2530	13,05	1	05.320.282.253	119089	39,40
PH-MU 28/3600	M 36	3600	18,22	1	05.320.282.360	119090	56,10
PH-MU 32/2000	M 42	2000	13,40	1	05.320.322.200	135176	55,80
PH-MU 32/2900	M 42	2900	20,10	1	05.320.322.290	135363	70,80
PH-MU 40/2200	M 52	2200	24,00	1	05.320.402.220	149175	86,40
PH-MU 40/3500	M 52	3500	37,00	1	05.320.402.350	149176	112,00



PFEIFER Male Bar

Type/Size	Thread	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-A 12/400	M 16	400	0,36	1	05.321.122.040	235683	4,25
PH-A 12/570	M 16	570	0,51	1	05.321.122.057	235684	5,30
PH-A 12/800	M 16	800	0,71	1	05.321.122.080	235685	5,40
PH-A 12/1500	M 16	1500	1,33	1	05.321.122.150	235686	7,40
PH-A 14/400	M 18	400	0,40	1	05.321.142.040	236452	4,70
PH-A 14/660	M 18	660	0,80	1	05.321.142.066	236453	6,55
PH-A 14/930	M 18	930	1,12	1	05.321.142.093	236454	7,25
PH-A 14/1500	M 18	1500	1,81	1	05.321.142.150	236455	8,75
PH-A 16/400	M 20	400	0,63	1	05.321.162.040	236457	5,40
PH-A 16/1020	M 20	1020	1,61	1	05.321.162.102	236459	8,05
PH-A 16/1440	M 20	1440	2,27	1	05.321.162.144	236461	9,05
PH-A 16/2000	M 20	2000	3,15	1	05.321.162.200	236462	11,40
PH-A 20/400	M 24	400	0,99	1	05.321.202.040	236464	6,90
PH-A 20/1280	M 24	1280	3,16	1	05.321.202.128	236465	13,20
PH-A 20/1800	M 24	1800	4,44	1	05.321.202.180	236466	15,45
PH-A 20/3000	M 24	3000	7,40	1	05.321.202.300	236467	22,05
PH-A 25/400	M 30	400	1,55	1	05.321.252.040	236468	9,65
PH-A 25/1600	M 30	1600	6,17	1	05.321.252.160	236469	20,75
PH-A 25/2260	M 30	2260	8,71	1	05.321.252.226	236470	26,80
PH-A 25/3600	M 30	3600	13,87	1	05.321.252.360	236471	36,50
PH-A 28/400	M 36	400	1,93	1	05.321.282.040	235687	11,40
PH-A 28/1790	M 36	1790	8,65	1	05.321.282.179	235688	27,00
PH-A 28/2530	M 36	2530	12,23	1	05.321.282.253	235689	34,50
PH-A 28/3600	M 36	3600	17,90	1	05.321.282.360	235690	44,80



PFEIFER Threaded Connecting Bolt

Type/Size	Thread	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-K 8/30	M 12	30	2,20	1	05.329.082	119263	1,75
PH-K 10/34	M 14	34	3,30	1	05.329.102	135169	1,95
PH-K 12/40	M 16	40	4,31	1	05.329.122	135170	2,56
PH-K 14/45	M 18	45	6,03	1	05.329.142	119264	3,00
PH-K 16/50	M 20	50	8,65	1	05.329.162	119265	3,50
PH-K 20/65	M 24	65	16,62	1	05.329.202	119266	4,90
PH-K 25/80	M 30	80	33,03	1	05.329.252	119267	10,55
PH-K 28/85	M 36	85	57,72	1	05.329.282	119268	14,50
PH-K 32/106	M 42	106	100,00	1	05.329.322	135171	18,20
PH-K 40/145	M 52	145	200,00	1	05.329.402	149216	46,70



PFEIFER Right-Left-Thread Connecting Bolt

Type/Size	Thread	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-RL 8/61	M 12	61	8,00	1	05.330.082	119269	12,80
PH-RL 10/71	M 14	71	11,00	1	05.330.102	135172	13,80
PH-RL 12/79	M 16	79	14,00	1	05.330.122	135173	14,05
PH-RL 14/85	M 18	85	20,00	1	05.330.142	119270	14,25
PH-RL 16/90	M 20	90	27,00	1	05.330.162	119271	15,00
PH-RL 20/109	M 24	109	46,00	1	05.330.202	119272	16,55
PH-RL 25/131	M 30	131	85,00	1	05.330.252	119273	23,30
PH-RL 28/145	M 36	145	132,00	1	05.330.282	119274	26,30
PH-RL 32/170	M 42	170	235,00	1	05.330.322	135174	42,80



PFEIFER Threaded Reduction Bolt

Type/Size	Thread	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-RB 12/10	M 16/14	60	10,20	1	05.390.12.10	211277	10,30
PH-RB 14/12	M 18/16	65	14,70	1	05.390.14.12	211278	11,75
PH-RB 16/14	M 20/18	69	19,40	1	05.390.16.14	211279	13,60
PH-RB 20/16	M 24/20	79	31,30	1	05.390.20.16	211280	16,65
PH-RB 25/20	M 30/24	95	54,30	1	05.390.25.20	211281	24,90
PH-RB 28/25	M 36/30	110	89,60	1	05.390.28.25	211282	33,70
PH-RB 32/28	M 42/36	121	120,70	1	05.390.32.28	211283	42,00
PH-RB 40/32	M 52/42	160	270,00	1	05.390.40.32	211284	59,80
PH-RB 16/12	M 20/16	68	18,50	1	05.390.16.12	211285	13,60
PH-RB 28/20	M 36/24	102	80,60	1	05.390.28.20	211286	32,10
PH-RB 32/25	M 42/30	119	110,90	1	05.390.32.25	211287	41,20



PFEIFER Reduction Socket

Type/Size	Thread	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-RM 12/10	M 16/14	50	8,60	1	05.391.12.10	211288	7,05
PH-RM 14/12	M 18/16	55	12,20	1	05.391.14.12	211289	7,85
PH-RM 16/14	M 20/18	60	21,20	1	05.391.16.14	211290	9,00
PH-RM 20/16	M 24/20	75	36,10	1	05.391.20.16	211291	11,10
PH-RM 25/20	M 30/24	90	74,50	1	05.391.25.20	211292	15,45
PH-RM 28/25	M 36/30	105	97,50	1	05.391.28.25	211293	21,90
PH-RM 32/28	M 42/36	115	116,00	1	05.391.32.28	211294	29,05
PH-RM 16/12	M 20/16	60	22,20	1	05.391.16.12	211296	9,00
PH-RM 28/20	M 36/24	95	94,70	1	05.391.28.20	211297	20,35
PH-RM 32/25	M 42/30	115	126,00	1	05.391.32.25	211298	27,90



PFEIFER Positioning Socket

Type/Size	Thread	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-PA 12	M 16	40,00	1	05.393.122	211299	31,40
PH-PA 14	M 18	60,00	1	05.393.142	211300	40,00
PH-PA 16	M 20	80,00	1	05.393.162	211301	47,00
PH-PA 20	M 24	150,00	1	05.393.202	211302	68,30
PH-PA 25	M 30	280,00	1	05.393.252	211303	108,00
PH-PA 28	M 36	394,00	1	05.393.282	211304	134,50
PH-PA 32	M 42	560,00	1	05.393.322	211305	206,50
PH-PA 40	M 52	1090,00	1	05.393.402	211306	on request




PFEIFER Welding Socket

Type/Size	Thread	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-AH 12	M 16	35	8,80	1	05.394.122	211307	20,95
PH-AH 14	M 18	40	11,50	1	05.394.142	211308	25,05
PH-AH 16	M 20	40	14,00	1	05.394.162	211309	30,40
PH-AH 20	M 24	50	34,70	1	05.394.202	211310	33,90
PH-AH 25	M 30	60	64,70	1	05.394.252	211311	37,90
PH-AH 28	M 36	65	77,50	1	05.394.282	211312	41,80
PH-AH 32	M 42	75	97,40	1	05.394.322	211313	45,50
PH-AH 40	M 52	90	181,00	1	05.394.402	211314	54,30



PFEIFER Reduction Female Bar

Type/Size	Thread	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-MUR 12/10	M 14	1	05.392.12.10	020203	on request
PH-MUR 14/12	M 16	1	05.392.14.12	020204	on request
PH-MUR 16/14	M 18	1	05.392.16.14	020205	on request
PH-MUR 20/16	M 20	1	05.392.20.16	020206	on request
PH-MUR 25/20	M 24	1	05.392.25.20	020207	on request
PH-MUR 28/25	M 30	1	05.392.28.25	020208	on request
PH-MUR 32/28	M 36	1	05.392.32.28	020209	on request
PH-MUR 40/32	M 42	1	05.392.40.32	020210	on request



PFEIFER End Anchor

Type/Size	Thread	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
PH-EP 12	M 16	20,50	1	05.395.122	218365	15,45
PH-EP 14	M 18	35,20	1	05.395.142	218366	16,25
PH-EP 16	M 20	45,50	1	05.395.162	218367	18,75
PH-EP 20	M 24	85,60	1	05.395.202	218368	22,30
PH-EP 25	M 30	167,80	1	05.395.252	218369	25,95
PH-EP 28	M 36	266,00	1	05.395.282	218370	31,50



PFEIFER Torque Wrenche – for bar couplers

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
bar diameter 8 mm up to 40 mm	230,00	1	05.328.001	219272	329,00



PFEIFER Nailing Plate

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/100 pcs.
M 12	0,77	1	05.203.120	118515	31,20
M 16	0,79	1	05.203.160	118516	31,80
M 18	0,81	1	05.203.180	118517	32,00
M 20	0,83	1	05.203.200	118518	32,50
M 24	1,29	1	05.203.240	118519	40,00
M 30	1,35	1	05.203.300	118520	42,00
M 36	1,44	1	05.203.360	118521	44,60



Surcharge – Bending of standard lengths

Type/Size	Surcharge EUR/pc upto 9 pcs.	Surcharge EUR/pc from 10 pcs	Surcharge EUR/pc from 50 pcs.	Surcharge EUR/pc from 100 pcs.
PH-MU 8	3,75	2,50	1,55	1,20
PH-MU 10	4,05	2,70	1,70	1,30
PH-MU 12	4,35	2,90	1,90	1,30
PH-MU 14	4,35	2,90	1,90	1,50
PH-MU 16	5,70	3,75	2,10	1,65
PH-MU 20	5,90	4,00	2,30	1,80
PH-MU 25	7,60	5,05	2,65	2,55
PH-MU 28	9,90	6,65	4,55	3,65
PH-MU 32/40	on request	on request	on request	on request



Surcharge – Cutting of standard lengths

Type/Size	Surcharge EUR/pc upto 9 pcs.	Surcharge EUR/pc from 10 pcs	Surcharge EUR/pc from 50 pcs.	Surcharge EUR/pc from 100 pcs.
PH-MU 8	4,60	2,70	1,60	1,05
PH-MU 10	4,60	2,70	1,60	1,05
PH-MU and PH-A 12	4,60	2,70	1,60	1,10
PH-MU and PH-A 14	4,60	2,70	1,60	1,10
PH-MU and PH-A 16	5,90	3,60	1,60	1,30
PH-MU and PH-A 20	6,50	3,90	2,00	1,30
PH-MU and PH-A 25	7,80	4,95	2,40	1,50
PH-MU and PH-A 28	9,95	6,95	4,75	1,50
PH-MU 32/40	on request	on request	on request	on request



PFEIFER VS® Slim Box

Type	Number of loops	Length l mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS® Slim Box	2	180	35,50	400	05.035.080	228751	9,05



PFEIFER VS® Plus Box

Type	Number of loops	Length l mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS® Plus Box	2	220	45,00	250	05.032.100	204625	13,90



PFEIFER VS® Box

Type/Size	Number of loops	Length l mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS® 60	1	160	20,00	1000	05.025.016.01.060	145834	4,70
VS® 80	1	160	20,60	1000	05.025.016.01.080	117884	4,70
VS® 100	1	160	20,80	1000	05.025.016.01.100	117885	4,70
VS® 120	1	160	20,90	1000	05.025.016.01.120	117886	4,70



PFEIFER Magnetic Fixing – for VS® Box

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS® 80/100/120 LB 80/100/120	8,00	1	05.025.001	169809	37,20
Assembly key for magnet	60,00	1	05.025.002	176435	37,20



PFEIFER LB Box

Type/Size	Number of loops	Length l mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
LB 80	1	160	34,00	1000	05.026.016.01.080	135182	5,10
LB 100	1	160	36,00	1000	05.026.016.01.100	135183	5,10
LB 120	1	160	37,00	1000	05.026.016.01.120	135184	5,10



PFEIFER VS® Rail BZ50

Type/Size	Number of loops	Length l mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS® BZ50 – 50/50	5	1180	166,00	60	05.027.236.01	257164	54,40
50 mtrs. spare tape silver, width: 96 mm			1,05/roll	50	05.027.960	257382	33,50/roll



PFEIFER VS® ISI System^{3D}

Type/Size	Number of loops	Length l mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS® ISI 20	5	1180	132,00	100	05.030.236.20	245321	54,40
50 mtrs. spare tape silver, width: 72 mm			0,88/roll	50	05.030.720	175678	31,50/roll
VS® ISI 50	5	1180	166,00	60	05.027.236.50	245477	54,40
50 mtrs. spare tape silver, width: 96 mm			1,05/roll	50	05.027.960	257382	33,50/roll





PFEIFER VS® Rail W50

Type/Size	Number of loops	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS®-W50/2 zn	2	1180	138,00	60	05.027.002.100	286806	33,60
VS®-W50/4 zn	4	1180	159,00	60	05.027.004.100	286807	36,10
VS®-W50/6 zn	6	1180	181,00	60	05.027.006.100	286808	37,90
VS®-W50/7 zn	7	1180	192,00	60	05.027.007.100	286809	39,90



PFEIFER VS® Rail T50

Type/Size	Number of loops	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS®-T50/2 zn	2	1180	138,00	60	05.027.002.075	286798	33,60
VS®-T50/4 zn	4	1180	159,00	60	05.027.004.075	286799	36,10
VS®-T50/6 zn	6	1180	181,00	60	05.027.006.075	286800	37,90
VS®-T50/7 zn	7	1180	192,00	60	05.027.007.075	286801	39,90



PFEIFER VS® Long Box T20

Type/Size	Number of loops	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS®-T20/2 zn	2	1180	86,00	100	05.030.002.075	286802	33,60
VS®-T20/4 zn	4	1180	107,00	100	05.030.004.075	286803	36,10
VS®-T20/6 zn	6	1180	129,00	100	05.030.006.075	286804	37,90
VS®-T20/7 zn	7	1180	140,00	100	05.030.007.075	286805	39,90

PFEIFER VS® -Long Box/Rail – empty profile

Type/Size	Number of loops	Length L mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.- No.	Item No.	Price EUR/pc.
VS®-T20/0	0	1180	64,00	100	05.030.000	287840	21,80
VS®-T50/0	0	1180	116,00	60	05.027.000	287786	21,80



PFEIFER VS® FDS Air Tube Formwork

Type/Size	Diameter mm	Length L mm	Weight kg/pc.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
FDS minus	23	1200	0,40	2	05.039.231.200	240376	133,50
FDS minus	23	4000	0,82	2	05.039.234.000	237311	150,50
FDS standard	29	1200	0,70	2	05.039.291.200	240379	140,00
FDS standard	29	4000	1,10	2	05.039.294.000	237313	159,00
FDS plus	42	1200	0,90	2	05.039.421.200	240380	172,50
FDS plus	42	4000	1,45	2	05.039.424.000	237314	199,50

Information:



VS® PAGEL®-Grout VS® P PAGEL®-Joint-filling mortar

Conditions on request

Information:




EuroGrout® Varix EuroGrout® Universal Filler

Conditions on request



PFEIFER FS Box

Type	Number of loops	Length l mm	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
PFEIFER FS Box	2	320	92,50	150	05.400.150	253754	20,80



PFEIFER MV Loop – zinc-plated – for connection of brickwork panels

Type/Size	Weight kg/100 pcs.	Packing unit pcs.	Ref.-No.	Item No.	Price EUR/pc.
MV 335	5,10	1000	05.028.043.0335	140414	1,64
MV 340	5,00	1000	05.029.043.0340	141077	1,64
MV 200	3,40	1000	05.028.043.0200	140413	1,57

Notes

General Terms and Conditions (Sales terms)

PFEIFER SEIL- UND HEBETECHNIK GMBH

for use in business with companies, corporate bodies under public law and separate estates governed by public law

1. GENERAL PROVISIONS

1.1 Our deliveries and services take place exclusively on the basis of the following conditions. We do not recognise any purchasing conditions that the buyer may have.

1.2 Our terms and conditions specifically apply to contracts concerning the sale and/or the delivery of chattels (hereinafter referred to as 'goods'), regardless of whether we produce the goods ourselves or buy them from suppliers (Sects. 433, 651 German Civil Code). Without us having to refer to them in each individual instance, the current version applies as a framework agreement both for future contracts concerning sales and/or the delivery of chattels with the same buyer.

1.3 Our quotations are subject to change and non-binding. This applies even if we have given the buyer catalogues, technical documentation (e.g. drawings, plans, calculations, cost estimates, references to DIN standards), other product descriptions or documents (even in electronic form) which are our property and to which we own the copyright.

1.4 Concerning the interpretation of commercial terms, the respective current version of Incoterms shall apply.

2. DELIVERY TIMES, DELAY IN DELIVERY, RESERVATION TO MAKE SELF DELIVERY

2.1 The delivery dates stated by us shall not be binding unless they are explicitly confirmed in writing by us as a 'binding delivery date'. They are extended to activities which are part of labour disputes, especially strikes and lockouts as well as the start of time-related hindrances, for which we are not responsible which take place up until the hindrance is overcome. If, through the hindrance, we find that the delivery is impossible or unreasonable, we shall be entitled to withdraw from the contract. The buyer has the same right, if he finds that the acceptance is unreasonable due to the delay. In principle, the buyer's or our right to withdraw shall only apply to the part of the contract which has not been fulfilled. If partial deliveries that have been made are unusable for the buyer, he shall be entitled to withdraw from the entire contract. The buyer's right to withdraw and terminate the contract in accordance with point 8 of these conditions remains unaffected.

2.2 As we source goods wholly or in part from other manufacturers, the delivery of our goods is subject to the reservation to make deliveries to ourselves. Where we cannot adhere to binding delivery dates, we shall inform the buyer about this without delay and at the same time, by determining a new delivery date, provide information as to when and the extent to which we can possibly make a later delivery. If the prospect of a subsequent delivery cannot be entertained (impossibility) or additionally, if the provision of a service is not available within the new delivery date, we shall be entitled to withdraw from the contract (wholly or in part) if we are not responsible for the non-adherence to the delivery dates. Services in return which have already been provided by the buyer shall be refunded by us without delay.

2.3 If the buyer does not fulfil contractual obligations in a timely manner - including the obligation to cooperate or carry out secondary obligations (in particular, the issuing of a letter of credit, provision of domestic or foreign certificates, the making of advanced payments, the reviewing of drawings or specimen (etc.)), we shall be entitled to reasonably postpone our delivery times in accordance with the requirements of our production operations, without prejudice to our rights arising from the buyer's default.

2.4 The occurrence of delivery default on our part shall be governed by statutory provisions. In each case, the buyer is required to issue a demand letter.

3. SHIPMENT, TRANSFER OF RISK, APPROVAL, DEFAULT IN ACCEPTING GOODS

3.1 Delivery shall be from stock, wherever the place of fulfilment is. Upon the buyer's request and at the buyer's expense, goods can be shipped to another destination (sale by delivery to a place other than the place of performance). Unless agreed otherwise, we are entitled to determine the nature of the shipment, especially the shipping company, shipping and packaging.

3.2 We are entitled to make partial deliveries. The buyer is obliged to accept or pay for part deliveries, unless the acceptance of part deliveries is unreasonable for him or detrimental to his other contractual rights.

3.3 The risk of accidental loss and accidental deterioration of the goods shall pass to the buyer with the handover. However, in the case of sale by delivery to a place other than the place of performance, the risk of accidental loss and accidental deterioration of the goods and the risk of delay is passed with the delivery of the goods to the carrier, freight forwarder or person or institution who/which is otherwise commissioned to carry out the shipment. Insofar as approval is agreed, the transfer of risk shall prevail. In all other respects as well, the statutory requirements of the law applicable to works and services applies to approval which has been agreed upon accordingly. If the buyer defaults in accepting the goods, the handover and/or approval is the same.

3.4 If the buyer defaults in accepting the goods, fails to cooperate or if the loading Connecting and Lifting Systems Price List 3-2018

or transportation of goods is delayed for a reason the buyer is responsible for, we shall be entitled at our discretion, to store the goods at the buyer's expense and risk of the buyer, to take all measures which are deemed appropriate to preserve the goods and to charge the goods as supplied. The same applies if goods which are ready for shipment are not collected within 4 days. The statutory provisions concerning default in accepting goods shall remain unaffected.

3.5 In the case of damage in transport, the buyer must inform us immediately and prompt the carrier to establish the facts.

3.6 Insofar as it is not usual or agreed otherwise, the goods shall be delivered unpacked and not protected against rust. For the rest, packaging materials which are made of paper, plastic, jute, etc. and disposal pallets and reels shall be charged and not taken back. Lent reels are charged at normal rates and must be paid. If they are returned to the supplier free of charge and in good condition within 2 months, 2 / 3 of the charge will be credited. Exchangeable packaging such as lattice boxes and 'EURO-pallets' must be returned to the forwarding agent by the buyer immediately after unloading in an exchangeable state (Epal). If these are damaged or not returned within a reasonable time to the forwarding agent, the buyer shall be obliged to reimburse us at the prevailing market rate.

4. PRICES AND PAYMENT CONDITIONS, ASSEMBLY COSTS

4.1 Unless agreed otherwise, our prices are ex works. VAT is added at the applicable statutory rate.

4.2 Unless agreed otherwise, payments must reach us without deduction up to 30 days following delivery (ex works). Discounts must be specially agreed with us and will only be granted if the buyer is not in default with other invoices.

4.3 The buyer is in default once the period for payment has elapsed. Interest shall be added to the purchase price for the period of default at the applicable statutory rate. We reserve the right to claim further damages as a result of defaults. In the case of contracts with traders, our right to claim interest counting from the due date (Sect. 353 Commercial Code) remains unaffected.

4.4 The buyer is only entitled to offset and withhold payments where his claim is legally established or undisputed. In case of defects with the delivery point 7.5 of these conditions remains unaffected.

4.5 If after the conclusion of the contract, it is recognised that our claim to the purchase price is at risk due to the inability of the buyer to pay (e.g. through an application to open insolvency proceedings), then in accordance with the statutory provisions to deny a service and - if necessary, the imposition of a deadline - we shall be entitled to withdraw from the contract (Sect. 321 German Civil Code). In the case of contracts concerning the manufacturing of unreasonable articles (custom-made articles), we shall be entitled to withdraw from the contract immediately. The statutory provisions concerning the expendability of deadlines remain unaffected.

4.6 In the case of assembly and installation, the expenses that we incur for the assembly, daily allowances as well as accommodation and travel costs shall be refunded. At the same time, the buyer must ensure that the assembly or installation can take place without interruption and the necessary preparations, such as foundations, electrical connections etc. are provided free of charge.

5. DIMENSIONS, WEIGHTS, QUALITY GRADES

5.1 Details of standards are based on the latest versions.

5.2 Deviations related to dimensions, weights and quality grades are permitted in accordance with DIN or the applicable practice. Other deviations require special agreement.

5.3 Technical details and the descriptions of the articles of sale are non-binding. We reserve the right to make design changes, insofar as these are reasonable for the buyer. We retain the ownership and exclusive copyright over our cost estimates, drawings and other documents. They may not be made available to third parties and must be returned immediately upon request, or if the order was not placed.

6. RETENTION OF TITLE

6.1 Until full payment of all our present and future claims under the purchase agreement and ongoing business relationship (the secured claims) has been made, we shall retain the title to the goods that have been sold.

6.2 The goods (subject to retention of title) may not be pledged to any third party or transferred as security until full payment of the secured claims, has been made. The buyer must inform us immediately in writing if third parties have a share in goods belonging to us and must inform us of the extent.

6.3 In the case where the buyer's behaviour is contrary to the contract, especially in the case of non-payment of the due purchase price, we are legally entitled, to withdraw from the contract and / or to demand the product on the basis of title. The demand should not be interpreted as a notification of withdrawal, but merely the fact that we are entitled to claim the goods and we reserve the right to withdraw from the contract. If the buyer does not pay the due purchase price, we may only assert these rights if we have unsuccessfully set the buyer a reasonable deadline for payment beforehand or where such a deadline is unnecessary in accordance with the statutory provisions.

6.4 The buyer is entitled to resell and/or process and/or remodel the goods (subject to retention of title) in the ordinary course of business. In this case, the following supplementary provisions apply:

6.5 The retention of title extends to products which are made through the processing, mixing or combining of our goods at their full value, where we are the manufacturer. If the property rights of third parties remain as a result of processing, mixing or combining with their goods, we shall acquire joint ownership in relation to the invoice value of the processed, mixed or combined goods. For the rest, the same applies for the resulting product as for the goods which have been delivered subject to the retention of title.

6.6 As security, the buyer shall assign the full debt claims against third parties resulting from the resale of the goods or products to us and/ or the amount owed under any joint ownership in accordance with the preceding paragraph. We shall accept the assignment. The obligations of the buyer cited in point 6.2 also apply with respect to the assigned debt claim.

6.7 Alongside us, the buyer shall remain authorized to collect the debt claim. We shall not collect the debt claim as long as the buyer meets his payment obligations towards us, is not in payment arrears, makes no application to open insolvency proceedings and there is no other failure in his ability to pay. If this is the case, we are entitled to demand that the buyer notifies us of the assigned debt claims, the debtors, all necessary details concerning the collection and that he hands us the appropriate documents and informs the debtors (third parties) of the assignment.

6.8 If the realisable value of the securities exceeds our debt claims by over 10 percent, we shall, at the request of the buyer, release securities of our choice.

7. THE BUYER'S CLAIM FOR COMPENSATION DUE TO DEFECTS

7.1 Insofar as nothing to the contrary is specified in the following, statutory provisions shall apply for the rights of the buyer in the case of material defects and defects of title (including incorrect/short deliveries, improper installation or incomplete installation instructions). In all cases, the special legal provisions concerning the final delivery of goods to a consumer remain unaffected (Supplier's redress in accordance with Sects. 478 and 479 German Civil Code).

7.2 No claims for compensation due to defects will be accepted in the case of slight deviations from the agreed characteristics or in the case of impairments with regard to usefulness which are only minor. For the rest, the agreement reached concerning the quality of the goods essentially forms the basis of our liability for defects. If no quality characteristics have been agreed upon, legal provisions shall be used to assess whether there is defect or not (Sect. 434, para. 1, sentences 2 and 3 German Civil Code). We accept no liability for public statements made by manufacturer or other third parties (e.g. advertising claims).

7.3 The buyer's claims for compensation due to defects shall work on the assumption that he has met his obligation to inspect the goods and provide notification of any defects (Sects. 377 and 381 Commercial Code). If a defect arises upon inspection or later on, we should be given notice of this in writing without delay. 'Without delay' means notification that is made within two weeks, wherein to meet the deadline, timely mailing of the notification is sufficient. If the buyer fails to inspect the goods properly and/or notify any defects, we shall accept no liability for the undisclosed defect.

7.4 If the delivered goods are defective, we shall be entitled to select whether we shall provide supplementary performance by eliminating the defect (rectification) or by delivering goods which are free from defects (replacement). Our right to refuse the selected supplementary performance type in accordance with statutory requirements remains unaffected. In the case of supplementary performance through rectification, failure to rectify the defect shall only be deemed such after the second unsuccessful attempt (to rectify the defect).

7.5 We are entitled to provide the supplementary performance that we owe on the condition that the buyer pays the due purchase price. The buyer is however entitled to retain a fair share of the purchase price in relation to the defect.

7.6 The buyer must grant us the necessary time and opportunity to fulfil the supplementary performance. This especially relates to the handing over of rejected goods for testing purposes. In the case of replacement, the buyer is required to return the defective goods in accordance with the statutory provisions.

7.7 We shall bear the costs which are necessary for the purpose of testing and supplementary performance, (especially transportation, travel, labour and material costs) if there is an actual defect. Where, however, a buyer's request to rectify a defect turns out to be unwarranted, we are entitled to demand compensation for the related expenses from the buyer.

7.8 In urgent cases, e.g. a risk to operational safety or in the defence against disproportionate damage, the buyer has the right, to eliminate the defect himself and to demand reimbursement of the objective expenses which were necessary. We must be informed of such measures of one's own immediately and if possible, notified in advance. The buyer has no right to carry out measures on his own if we were entitled to refuse appropriate supplementary performance under the statutory provisions.

7.9 If the supplementary performance has failed, or a reasonable deadline which is to be set by the buyer for the supplementary performance has expired or the supplementary performance in accordance with the statutory provisions is unnecessary,

the buyer can withdraw from the purchase contract or reduce the purchase price. If there is a minor defect however, the buyer does not enjoy any right of withdrawal.

7.10 For the rest, the buyer only has a right to compensation for damages and/or compensation of wasted expenses in accordance with point 8. For the rest, all rights to compensation are excluded.

8. OTHER LIABILITY

8.1 As far as there are no provisions to the contrary in these conditions (including the following provisions) we shall only be liable for breaches of contract and non-contractual obligations under the relevant statutory provisions.

8.2 We are liable for damages – regardless of the legal basis – in the case of intent and gross negligence. We are only liable for negligence

– in the case of damage resulting from the loss of life, physical damage or damage to health

– in the case of damage resulting from a breach of an essential contractual obligation (an obligation, where the fulfilment of which basically allows for the proper execution of the contract overall and where adherence to it is something which is regularly familiar and trusted by the contracting partners); in this case however, our liability is limited to compensation for damage which is foreseeable, or which typically occurs.

8.3 The liability limitations arising from point 8.2 do not apply if we have fraudulently concealed a defect or have adopted a guarantee for the characteristic quality of the goods. The same applies to claims made by the buyer under the Product Liability Act.

8.4 In the case of an infringement that does not consist of a defect, the buyer may only withdraw from or cancel the contract if we are responsible for a breach of duty. The buyer does not enjoy an unrestricted right of termination (Sects. 651 and 649 German Civil Code especially apply). For the rest, the statutory requirements and legal consequences shall apply.

9. STATUTE OF LIMITATIONS

9.1 Notwithstanding Sect. 438, para. 1 no. 3 German Civil Code, the general period of limitation for claims related to material defects and defects of title is a year following delivery. As far as approval has been agreed upon, the statute of limitations begins with the approval.

9.2 If the goods however relate to a building or something which in its normal use has been used for a building and has caused defects (materials), the period of limitation is 5 years from the date of delivery in accordance with the statutory provisions (Sect. 438 para. 1, no 2 German Civil Code). The statutory provisions for real claims for the restitution of property of third parties (Sect. 438, para. 1, no. 1 German Civil Code), suppliers' recourse for final delivery to a consumer (Sect. 479 German Civil Code) and for the cases of fraud by the seller (Sect. 438, para. 3 German Civil Code) shall also remain unaffected.

9.3 The foregoing period of limitation relating to sale of goods law also applies to contractual and non-contractual claims of the buyer which are based on defective goods, unless the application of the normal statutory period of limitation (Sects. 195 and 199 German Civil Code) would in individual cases, lead to a shorter period of limitation. The periods of limitation related to the Product Liability Act shall remain unaffected. In all other cases, the statutory periods of limitation exclusively apply to claims for damages made by the buyer in accordance with point 8.

10. PARTIAL INEFFECTIVENESS

In cases where individual contractual conditions are ineffective, the remaining provisions shall remain fully effective. A settlement should take the place of the ineffective provision which, within the scope of what is legally possible, comes closest to the intended meaning and purpose of the ineffective clause taking into account the economic aim.

11. CHOICE OF APPLICABLE LEGISLATION AND PLACE OF JURISDICTION

11.1 The law of the Federal Republic of Germany shall apply to these conditions and all legal relations between us and the buyer to the exclusion of all international and supranational (contractual) legal systems, especially the UN Convention on Contracts for the International Sale of Goods. The laws of the respective place of storage shall however form the basis of the conditions and effects of the retention of title (to the goods) in accordance with point 6 where following this, the choice of applicable legislation is not allowed to be made in favour of German law or where it is ineffective. The provision in point. 3.6 is unaffected by this clause.

11.2 If the buyer is a trader (a 'Kaufmann') as defined by the Commercial Code, a corporate body under public law or a separate estate governed by public law, the exclusive - and international - place of jurisdiction for all disputes arising directly or indirectly from the contractual relationship will be where our head office is located in Memmingen. We are however also entitled to take out legal proceedings at the buyer's general place of jurisdiction.

A–Z

Adapter – for Thread System.....	16	DR Anchor – black.....	22
Bar Anchor – Sandwich Lifting Anchors – socket stainless steel – for sandwichelements.....	9	End Anchor.....	51
Bar Anchor – Sandwich Lifting Anchors – socket zinc-plated – for sandwichelements.....	9	External Cap – Concrete – for Nail Discs.....	30
Bar Anchor – socket stainless steel.....	9	External Cap – Large – Recesses with recess disc/magnetic disc.....	14
Bar Anchor – socket zinc-plated.....	9	External Cap – Small – Recesses with Button Head Fixing Bold.....	14
Bar Anchor – special length – socket zinc-plated – for special Lifting Loop.....	9	External Cap – Stainless steel – for Nail Discs.....	30
BEB 1.....	46	Female Bar – with nail plate.....	49
BEB 11.....	47	Fixing Screw – for Fixing Bolts.....	13
BEB 15 and BEB 16.....	47	Fixing Screw – for PCC/PSF Fixing Sockets.....	37
BEB 19 and BEB 20.....	47	Fixing Screw – for Polyamide Sockets.....	30
BEB 2.....	46	Fixing Screw – for Super Anchors System.....	17
BEB 25 and BEB 26.....	47	Fixing Socket – PCC – zinc-plated – for PCC Column Shoes.....	36
BEB 3.....	46	Flared Lifting Loop.....	11
BEB 4 and BEB 5.....	46	Flat Anchor – Plate thickness 1,5 mm.....	41
BEB 6 and BEB 7.....	46	Flat Anchor – plate thickness 2,0 mm.....	42
BEB 8.....	46	Flat Anchor – plate thickness 2,0 mm.....	43
BEB 9 and BEB 10.....	47	Flat Steel Anchor – Plain.....	7
Bent Loop – Galvanized.....	20	Flat Steel Anchor – socket stainless steel.....	8
Bent Loop – zinc-plated.....	20	Flat Steel Anchor – Stainless steel.....	8
Bolt Anchor – socket stainless steel.....	8	Flat Steel Anchor – zinc-plated.....	8
Bolt Anchor – socket zinc-plated.....	8	Flat Steel Anchor – zinc-plated – for SAS Manhole Lifting System.....	18
Bolt Anchor – zinc-plated – for SAS Manhole Lifting System.....	18	Foot-Mounted Anchor DB for permanent fixing – socket stainless steel.....	26
Brickwork Anchor.....	20	Foot-Mounted Anchor DB for permanent fixing – socket zinc-plated.....	26
BS Anchor – Heavy-duty – zinc-plated.....	19	Foundation Anchor – PGS/G1.....	34
BS Anchor – zinc-plated.....	19	Foundation Anchor – PGS/G1-DK.....	35
BS Hook – painted.....	19	Foundation Anchor – PGS/G1-K.....	34
BS Moulding Insert – for BS Anchors.....	19	Foundation Anchor – PGS/G2.....	34
Button Head Fixing Bolt – for MoFi.....	32	Foundation Anchor – PGS/G3.....	34
Button Head Fixing Bolt – for Super Anchor System.....	17	Foundation Anchor – PGS/H2.....	34
Button Head Fixing Bolt – socket zinc-plated – without head – for Lifting Anchors.....	12	Foundation Anchor – PGS/H4.....	34
Button Head Fixing Bolt – zinc-plated – deep – for Lifting Anchors.....	12	FS Box.....	56
Button Head Fixing Bolt – zinc-plated – middle – for Lifting Anchors.....	12	General Terms and Conditions.....	58
Button Head Fixing Bolt – zinc-plated – shallow – for Lifting Anchors.....	12	Index A – Z.....	60
Clip-on-Stirrup.....	45	Intermediate Staircase Bearing VarioSonic SL.....	38
Clip-on-Stirrup.....	45	LB Anchor – with loop.....	20
Column Shoe – PCC.....	35	LB Anchor – with socket.....	20
Column Shoe – PGM – for concrete grade C30/37 and good bonding conditions.....	35	LB Box.....	53
Column Shoe – PSF.....	35	Lifting Box.....	19
Connecting Bolt – PAP.....	37	Lifting Loop.....	11
Connecting Bolt – PVB, PGV.....	37	Lifting Loop – (Lifting Loop Rd) waisted – for special Lifting Loop.....	11
Connector Pin.....	44	Lifting Loop – for SAS Manhole Lifting System.....	18
Cover Cap – deep – Stainless steel – for Button Head Fixing Bolt – deep.....	16	Lifting Loop LSF.....	27
Cover Cap – Concrete – for Button Head Fixing Bolt – shallow.....	16	Lifting Loop LSG.....	27
Cover Cap – Concrete – Recesses with recess disc/magnetic disc.....	15	Lifting Loop LSP.....	27
Cover Cap – for MoFi.....	32	Lifting Loop LSV.....	27
Cover Cap – for MoFi.....	32	Load Eye.....	27
Cover Cap – middle – Stainless steel – for Button Head Fixing Bolt – shallow.....	15	Magnet Disc – Galvanized – for MoFi.....	31
Cover Cap – shallow – Stainless steel – for Button Head Fixing Bolt.....	15	Magnetic Fixing – for VS@Box.....	53
Cover Cap – Stainless steel – Recesses with recess disc/magnetic disc.....	15	Magnetic Fixing – zinc-plated – for Lifting Anchors.....	13
Cover Cap – steel zinc-plated – for Super Anchor System.....	17	Male Bar.....	49
Cover Plate – for Wall Shoes.....	37	Moulding Bloc – Metal – corner – for PCC Column Shoes.....	36
Cylinder Anchor.....	40	Moulding Bloc – Polystyrene Moulding Bloc – corner – for PCC Column Shoes.....	36
Data Clip – for Lifting Anchors.....	14	Moulding Bloc – Polystyrene Moulding Bloc – side – for PCC Column Shoes.....	36
Data Clip SAS – for SAS Manhole Lifting System.....	18	Mounting Bar – with Dywidag thread.....	31
Delta-Anchor.....	43	Mounting Bushing – with Dywidag thread.....	30
		Mounting Wing Nut – with Dywidag thread.....	31
		MV Loop – zinc-plated – for connection of brickwork panels.....	56

Nail Cap – for Polyamide Sockets.....	30	Waved Anchor – short – socket zinc-plated	6
Nail Disc.....	29	Waved Anchor – Socket zinc flake coated	7
Nailing Plate.....	52	Waved Anchor – special length – socket zinc-plated –	
Notes.....	57	for special Lifting Loop	7
PFEIFER-fixing bracket LCON	39	Waved Anchor DB for permanent fixing – short – socket stainless steel	26
Polyamide Socket	29	Waved Anchor DB for permanent fixing – short – socket zinc-plated	26
Positioning Socket	50	Welding Socket.....	51
Positioning Sockets – Galvanized – for PCC Column Shoes.....	36	WK Anchor – black – for Beams	21
Push-Pull-Props – Concrete Screw ConFi.....	32	WK Anchor – black – Installation in heavily reinforced	
Push-Pull-Props – Fixing for MoFi	31	structural column elements.....	21
Quicklift – painted	23	WK Anchor – long – black – Installation in wall panels	21
Recess Disc – for MoFi.....	31	WK Bar Anchor – black – Installation in wall panels.....	21
Recess Disc – polyethylene – for Lifting Anchors	13	WK Bar Anchor – Sandwich Lifting Anchors – black.....	21
Recess Disc – Steel – for Super Anchor System	17	WK Moulding Insert – with threaded plate	23
Recess Disc – Steel – zinc-plated – for Lifting Anchors	13	WK Moulding Insert – with threaded stud.....	23
Reduction Female Bar	51		
Reduction Socket.....	50		
Repair Kit – accessories	10		
Repair Kit – socket stainless steel – For slabs	10		
Repair Kit – socket stainless steel – For walls.....	10		
Repair Kit – socket zinc-plated – For slabs	10		
Repair Kit – socket zinc-plated – For walls.....	10		
Right-Left-Thread Connecting Bolt.....	50		
Socket – Stainless steel	7		
Socket – zinc-plated	7		
Socket Dowel – with crimped end – Stainless steel	28		
Socket Dowel – with crimped end – zinc-plated	28		
Socket Dowel – with crimped end and nail plate – zinc-plated	29		
Socket Dowel – with cross end – zinc-plated	29		
Socket Dowel – with cross hole – Stainless steel	28		
Socket Dowel – with cross hole – zinc-plated.....	28		
Socket Dowel – with cross hole and nail plate – zinc-plated	28		
Special Lifting Loop – with pressure plate	11		
Staircase End Bearing VarioSonic SLE.....	38		
Steel Bearing.....	39		
Super Anchor – socket zinc-plated	17		
Super Lifter – painted.....	17		
Surcharge – Bending of standard lengths	52		
Surcharge – Cutting of standard lengths	52		
Surcharge for additional length – BEB 2 – BEB 26	47		
Swivel Eye – painted	11		
Thread Cleaner – for Lifting Anchors	16		
Threaded Connecting Bolt	50		
Threaded Reduction Bolt	50		
Torque Wrenche – for bar couplers	51		
VS®Box	53		
VS®FDS Air Tube Formwork.....	56		
VS®ISI System3D	54		
VS®Long Box T20.....	55		
VS®-Long Box/Rail – empty profile.....	55		
VS®Plus Box.....	53		
VS®Rail BZ50	54		
VS®Rail T50	55		
VS®Rail W50	55		
VS®Slim Box.....	53		
Wall Shoe – PWS.....	37		
Waved Anchor – long – socket stainless steel	6		
Waved Anchor – long – socket zinc-plated	6		
Waved Anchor – short – socket stainless steel.....	6		

Notes

Notes



Lifting Anchor Systems
Thread System



Lifting Anchor Systems
BS Anchor System



Lifting Anchor Systems
WK Anchor System



Fixing Systems
DB Anchor 682
for Permanent Fixing



Fixing Systems
Socket Dowels
Polyamide Sockets



Fixing Systems
HK Assembly Anchor System



Connection Systems
Column Shoe System
Wall Shoe System



Connection Systems
Stell Bearing
Staircase Bearing VarioSonic



Connection Systems
Sandwich Anchor System
Delta Anchor System



Connection Systems
Concrete Earthing System BEB



Reinforcement Systems
VS®-Wire Rope Loop System



Reinforcement Systems
PH Reinforcement Continuity System



Cable Tension Members
Tension Rod System



Attachment Materials
(Wire Ropes, Chains, Textiles)



Lashing Systems



Grabs for Reinforcing Steel
Balancing Spreader Beams

This document is superseded when a new edition appears
at www.pfeifer.info.

Germany Headquarters

PFEIFER SEIL- UND
HEBETECHNIK GMBH
Dr.-Karl-Lenz-Straße 66
D-87700 MEMMINGEN
Telefon +49 (0) 83 31-937-312
Telefax +49 (0) 83 31-937-342
E-Mail export-bt@pfeifer.de
Internet www.pfeifer.info

Lechstraße 21
D-90451 NÜRNBERG
Tel. 09 11-642 78 08
Fax 09 11-642 84 72
E-Mail nuernberg-bt@pfeifer.de

Austria

PFEIFER SEIL- UND
HEBETECHNIK GMBH
Dr.-Karl-Lenz-Straße 66
D-87700 MEMMINGEN
Telefon +49 (0) 83 31-937-211
Telefax +49 (0) 83 31-937-342
E-Mail bautechnik@pfeifer.de

Denmark

JORDAHL & PFEIFER
Byggeteknik A/S
Risgårdevej 66,
DK-9640 Farsø
Tel. +45-98 63-1900
E-Mail info@jordahl-pfeifer.dk

France

JORDAHL H-BAU France
Siège, 7 rue des Vallières Sud
25220 Chalezeule
Tél +33-3 81 25 04 65
Fax +33-3 81 25 07 96
E-Mail info@jordahl-hbau.fr

Spain

PFEIFER Cables y Equipos de
Elevación, SLU
Avda. de los Pirineos,
25 - Nave 20
San Sebastián de los Reyes
ES-28703 MADRID
Tel. +34-916 593 185
Fax +34-916 593 139
E-Mail p-es@pfeifer.de
ES-08820 BARCELONA
Tel./Fax +34-93-636 4662
Móvil +34-64-915 4948
E-Mail frieda@pfeifer.de

Russia

OOO PFEIFER
KANATI & PODJÖMNIJE TEHNOLOGII
RU-119017 MOSCOW
Pyzhevskiy pereulok,
h. 5, bld. 1, office 108
Tel. +7-495-363-01-27
Fax +7-495-363-01-28
E-Mail info@pfeiferrussia.ru

Hungary

PFEIFER GARANT KFT.
Gyömrői út 128
HU-1103 BUDAPEST
Tel. +36-1-260 10 14
Fax +36-1-262 09 27
E-Mail info@pfeifer-garant.hu

Singapore

J&P BUILDING SYSTEMS PTE LTD.
No. 48 Toh Guan Road East
#08-104 Enterprise Hub
SG-SINGAPORE 608586
Tel. +65-6569-6131
Fax +65-6569-5286
E-Mail info@jnp.com.sg

UAE

EMIRATES GERMAN BUILDING
MATERIALS TRADING (LLC)
P.O. Box 18917
UAE-DUBAI
Tel. +971-4-267 66 44
Fax +971-4-267 66 46
E-Mail info@emirategerman.com

Switzerland

Pfeifer Seil- und Hebeteknik GmbH
Kurt Styger
Gebietsverkaufsleitung
Schweiz Bautechnik
Dr.-Karl-Lenz-Strasse 66
D-87700 Memmingen
Telefon: +41 (0) 79 725 49 31
Email: kstyger@pfeifer.de

United Kingdom

J&P BUILDING SYSTEMS LTD.
Unit 5 Thame Forty
Jane Morbey Road
GB-THAME, OXON OX9 3RR
Tel. +44-1844-215200
Fax +44-1844-263257
E-Mail enquiries@jp-uk.com

Czechia

JORDAHL & PFEIFER
STAVEBNÍ TECHNIKA S.R.O.
Bavorská 856/14
CZ-15500 PRAHA 5
Tel. +420-272 700 701
Fax +420-272 703 737
E-Mail info@jpcz.cz

Romania

S.C. JORDAHL & PFEIFER
TEHNICA DE ANCORARE S.R.L.
Str. Malului Nr. 7, et. 1
RO-550197 SIBIU JUD. SIBIU
Tel. +40 269 246 098
Fax +40 269 246 099
E-Mail info@jordahl-pfeifer.ro

Poland

JORDAHL & PFEIFER
TECHNIKA BUDOWLANA
SP. Z O.O.
ul. Wrocławska 68
55-330 KREPIĆ k/
Wrocławia
Tel. +48 71 39 68 264
Fax +48 71 39 68 105
E-Mail biuro@jordahl-pfeifer.pl

► For all other export countries please contact our headquarters in Germany.